2012

Grindmaster-Cecilware Beverage Equipment Price List

Price List Updated: October 1, 2012

Please note that price adjustments and discontinued products announced January 2012 - September 2012 are indicated in this list.

All prices are subject to change.

Please contact GMCW Customer Service for current pricing and product availability.

Table of Contents

Food Service and Retail Coffee Grinders 2

Grind'n Brew Coffee Systems® 3

AL-LEN™ Ground Coffee Dispensers 3

Decanter / Airpot Coffee Brewers 4

Decanter / Airpot Brewer Accessories and Warmers 6

Shuttle®/Satellite Coffee Brewers & Accessories 8

Coffee Urns and Chinese Hot Tea Urns, Accessories & Options 10

Hot Water Boilers and Dispensers 16

Espresso Machines & Accessories 18

Espresso Grinders 19

Liquid & Soluble Beverage Dispensers 20

Hot Powdered Beverage Dispensers 22

Hot Chocolate Dispensers 27

Specialty Powdered Food & Beverage Dispensers 28

Automatic Orange Juice Machines 29

Cold Beverage Dispensers, Accessories & Options 30

Iced Tea Brewers, Dispensers, Liquid Concentrate Tea Dispensers 33

Granita Beverage Dispensers & Accessories 35

Crathco® Barrel Freezers & Accessories 37

2012 Tradeshows 39

Warranty 40

Terms & Conditions 41

Sales Representatives 42

Discontinued Products 45

Coffee Grinders

Food Service Coffee Grinders

- Adjustable range of grind profile settings.
- Long lasting burrs deliver precise grind particle distribution.
- Dependable and economical.

Model 190SS

Model 250

Model 250RH-2

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
100 (100)	Single portion grinder. 6 lbs. (2.7kg) hopper.	26.5" x 12.5" x 18.5" (67 cm x 32 cm x 47 cm)	46 lbs. (20.9 kg)	$ 1,366
190SS (190-SS)	Single portion grinder. One 6 lb. (2.7kg) hopper.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	44 lbs. (20 kg)	$ 1,366
250 (250)	Two 5.5 lb. (2.5kg) hoppers. Single portion each side.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	57 lbs. (25.8 kg)	$ 1,650
250-3A (250-3A)	250 grinder with three portions on each side.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	57 lbs. (25.8 kg)	$ 1,860
250RH-2 (250RH-2)	250 grinder with dual portions and two removable hoppers.	34" x 14" x 20" (86 cm x 36 cm x 51 cm)	62 lbs. (28 kg)	$ 2,224
250RH-3 (250RH-3)	250 grinder with three portions and two removable hoppers.	34" x 14" x 20" (86 cm x 36 cm x 51 cm)	62 lbs. (28 kg)	$ 2,402
82349	Replacement hopper for 250RH models.	14.25" x 6.5" x 12.25" (36 cm x 16 cm x 54 cm)	7 lbs. (3.2 kg)	$ 152
Electrical: 120V, 920W, 8A; Export voltage available.				

Retail Coffee Grinders

- Multiple grind particle profile selections.
- Fast grinding speed.
- Space saving design.
- Precision burrs.

Model 495

Model 835

Model 890

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
495 (495-R)	2 lb. (907.2g) hopper. Heavy duty grinder. item discontinued	12" x 18.25" x 25.25" (30 cm x 46 cm x 65 cm)	52 lbs. (23.6 kg)	$ 1,410
810 (810-B)	1.5 lb. (680g) hopper. Medium duty grinder.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	42 lbs. (19 kg)	$ 1,236
810S (810-BS)	810 grinder with ETL Sanitation listing.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	42 lbs. (19 kg)	$ 1,350
835 (835-B or R)	1.5 lb. (680g) hopper. Choose red or black.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	46 lbs. (21 kg)	$ 1,306
835S (835-S, B, or R)	835 grinder with ETL Sanitation listing. Choose red or black.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	46 lbs. (21 kg)	$ 1,414
875 (875-B or R)	3 lb. (1.4kg) hopper. Choose red or black.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	53 lbs. (24 kg)	$ 1,310
875S (875-S, B, or R)	875 grinder with ETL Sanitation listing.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	53 lbs. (24 kg)	$ 1,458
890 (890-B)	European burrs for precision grinding. 3 lb. (1.4kg) hopper. item discontinued	33.5" x 12.5" x 18.75" (85 cm x 32 cm x 48 cm)	53 lbs. (24 kg)	$ 1,556
890BS (890-BS)	890 grinder with ETL Sanitation listing. Black only.	31" x 10.35" x 19" (79 cm x 26 cm x 48 cm)	53 lbs. (24 kg)	$ 1,592
890T (890-B-T)	European burrs for precision grinding. 5 lb. (2.3 kg) hopper.	34.5" x 10.75" x 19.25" (88 cm x 28 cm x 49 cm)	57 lbs. (26 kg)	$ 1,780
Electrical: 120V, 920W, 8A; Export voltage available.				

Grind'n Brew Coffee Systems®

Grind'n Brew Coffee Systems®

- Unique system combines a precision coffee grinder and a brewer into one machine in under 10 inches of counter space.
- Digital control system.
- Brew into decanters or airpots.
- Single 5.5 lb. (2.49 kg) or dual 6.5 lb. (2.95 kg) hoppers.

Model GNB-11H

Model GNB-20H

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
GNB-11H (70901N)	Single **decanter brewer** with single 5.5 lb. (2.49 kg) bean hopper.	120V / 1810W / 15A	32.25" x 15.5" x 29.75" (81 cm x 39 cm x 74 cm)	80 lbs. (36 kg)	$ 3,238
GNB-11HQ (70905N)	Single **decanter brewer** with single 5.5 lb. (2.49 kg) bean hopper.	120/240V / 3660W / 16A	32.25" x 15.5" x 29.75" (81 cm x 39 cm x 74 cm)	80 lbs. (36 kg)	$ 3,388
GNB-10H (70917N)	Single 2.2L **airpot brewer** with single 5.5 lb. (2.49 kg) bean hopper.	120V / 1710W / 15A	32.25" x 15.5" x 29.75" (81 cm x 39 cm x 74 cm)	80 lbs. (36 kg)	$ 3,146
GNB-21H (70903N)	Single **decanter brewer** with dual 6.5 lb. (2.95 kg) bean hoppers.	120V / 1810W / 15A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	$ 3,750
GNB-21HQ (70907N)	Single **decanter brewer** with dual 6.5 lb. (2.95 kg) bean hoppers.	120/208-240V / 2749/3660W / 20A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	$ 3,878
GNB-20H (70919N)	Single 2.2L **airpot brewer** with dual 6.5 lb. (2.95 kg) bean hoppers.	120V / 1710W / 15A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	$ 3,750
GNB-20HQ (70923N)	Single 2.2L **airpot brewer** with dual 6.5 lb. (2.95 kg) bean hoppers.	120/208-240V / 2674/3650W / 20A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	$ 3,878

Electrical: Export voltage available. **Note:** Decanters and airpots sold separately.

AL-LEN™ Ground Coffee Dispenser

- Dispenses into brew basket.
- Dispenses perfect portions with no mess, waste, or bridging.
- Easy dispenser adjustments.

Model A

Model	Description	Portion Control Size	Dimensions (H x W x D)	Ship Weight	List Price
Model A (078650)	Dispenses directly into a brew basket up to 8.75" (22.22 cm) in diameter.	1.5 -3.25 ounces	18.5" x 9.25" x 11.25" (47 cm x 23 cm x 29 cm)	14 lbs. (6.3 kg)	$ 390

Optional: For stainless steel cover add "SS" suffix to model number and add $22 to list price.

Decanter/Airpot Coffee Brewers

Pour-over Coffee Brewers

- Economical units that brew into decanters or airpots.
- Stainless steel construction.

Model BL-2P

Model BA-P

Model BL-3PW

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
BL-1P (73500)	Brews into **decanter**. 1 warmer.	120V / 1500W / 13A	21.5" x 15" x 26.25" (55 cm x 38 cm x 67 cm)	27 lbs. (12.3 kg)	$ 420
BL-2P (73200)	Brews into **decanter**. 2 warmers.	120V / 1600W / 13.3A	21.5" x 15" x 26.25" (55 cm x 38 cm x 67 cm)	27 lbs. (12.3 kg)	$ 426
BL-3PW (73300)	Brews into **decanter**. 3 warmers.	120V / 1700W / 14.2A	x 21.25" x 20.25" (55 cm x 54 cm x 52 cm)	31 lbs. (14 kg)	$ 526
BA-P (73100)	Brews into **airpot**. 0 warmers.	120V / 1400W / 11.7A	26.25" x 15" x 26.25" (67 cm x 38 cm x 67 cm)	27 lbs. (12.3 kg)	$ 542

Electrical: Export voltage available. **Note:** Decanters and airpots sold separately.

items discontinued

AT Series Automatic Coffee Brewers

- Brew into airpots, decanters, or thermal carafes.
- Space saving, attractive, durable stainless steel design.
- Pour-over capability, momentary contact brew start switch, plastic brew basket, and hot water faucet.

Model AT-AP

Model AT-2W

Model AT-TC

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
AT-AP (73400)	Brews directly into **airpot**.	120V / 1780W / 14.8A	28.75" x 12.5" x 22.5" (73 cm x 32 cm x 57 cm)	31 lbs. (14.1 kg)	$ 830
AT-3WR (73430)	Brews into **decanter**. 3 warmers.	120V / 1700W / 14.2A	22.75" x 19.75" x 22.5" (58 cm x 50 cm x 57 cm)	36 lbs. (16.4 kg)	$ 928
AT-2W (73420)	Brews into **decanter**. 2 warmers.	120V / 1600W / 13.3A	23.25" x 12.5" x 22.5" (59 cm x 32 cm x 57 cm)	29 lbs. (13.2 kg)	$ 904
AT-3W (73480)	Brews into **decanter**. 3 warmers.	120V / 1700W / 14.2A	23.25" x 12.5" x 22.5" (59 cm x 32 cm x 57 cm)	31 lbs. (14.1 kg)	$ 918
AT-TC (73410)	Brews directly into 64 oz. (1.9L) **vacuum insulated container**.	120V / 1780W / 14.8A	23.25" x 12.5" x 22.5" (59 cm x 32 cm x 57 cm)	28 lbs. (12.7 kg)	$ 830

Electrical: Export voltage available. **Note:** Decanters, airpots, and vacuum insulated container sold separately.

items discontinued

Digital Decanter/Airpot Coffee Brewers

PrecisionBrew™ Digital Decanter/ Airpot Brewers & Accessories

- Brew into 1.9L vacuum insulated container, 2.2L airpots, decanters, or 2.5L gravity containers.

Model B-ID

Model B-6

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
B-ID (AB-ID)	Single, digitally controlled brewer brews into **1.9L SS vacuum insulated container**.	120V / 1780W / 14.9A 120/240V / 3500W / 14.6A 120/208V / 2620W / 12.6A	22" x 13" x 24" (56 cm x 33 cm x 61 cm)	37 lbs. (16.8 kg)	$ 1,076
B-3 (AB-3)	Single, digitally controlled **decanter brewer**. Warmers: 1 bottom, 2 top	120V / 1800W / 15A 120/240V / 3800W / 15.9A 120/208V / 2920W / 14.1A	22" x 13" x 24" (56 cm x 33 cm x 61 cm)	35 lbs. (15.9 kg)	$ 1,122
B-3WL (AB-3WL) **B-3WR** (AB-3WR)	Single, digitally controlled **decanter brewers**. Warmers: 1 bottom, 2 side (left or right indicated by model number)	120V / 1800W / 15A 120/240V / 3900W / 15.9A 120/208V / 2920W / 14.1A	22" x 21" x 24" (56 cm x 53 cm x 61 cm)	40 lbs. (18.1 kg)	$ 1,278
B-6 (AB-6)	Twin, digitally controlled **decanter brewer**. Warmers: 2 bottom, 4 top	120/240V / 6600W / 27.5A 120/208V / 5110W / 24.6A	22" x 21" x 24" (56 cm x 53 cm x 61 cm)	55 lbs. (25 kg)	$ 2,058
B-SAP (AB-SAP)	Single, digitally controlled 2.2L **airpot brewer.**	120V / 1780W / 14.9A 120/240V / 3500W / 14.6A 120/208V / 2620W / 12.6A	28" x 13" x 24" (71 cm x 31 cm x 61 cm)	37 lbs. (16.8 kg)	$ 1,106
B-DAP (AB-DAP)	Twin, digitally controlled **airpot brewer**. Brews into 2.2L or 2.5L airpot.	120/240V / 6000W / 25A 120/208V / 4510W / 21.7A	28" x 20" x 24" (71 cm x 31 cm x 61 cm)	55 lbs. (25 kg)	$ 1,922
B-SGP (AB-SGP)	Single, digitally controlled brewer, brews into **2.5L vacuum insulated gravity container.**	120V / 1780W / 14.9A 120/240V / 3500W / 14.6A 120/208V / 2620W / 12.6A	32" x 13" x 24" (81 cm x 31 cm x 61 cm)	55 lbs. (25 kg)	$ 1,158
B-DGP (AB-DGP)	Twin digitally controlled brewer. Brews into 2.5L **vacuum insulated gravity containers**.	120/240V / 6000W / 25A 120/208V / 4492W / 21.6A	32" x 21" x 24" (81 cm x 53 cm x 61 cm)	55 lbs. (25 kg)	$ 1,948
Electrical: Export voltage available. **Note:** Decanters, airpots, and insulated containers sold separately.					
Accessories for PrecisionBrew™ Digital Decanter/Airpot Brewers					
SS-1.9 LR (ASS-1.9LR)	1.9L SS vacuum insulated decanter with brew through lid. For use with B-ID. Black lid.	n/a	7.5" x 7.5" x 7.5" (19 cm x 19 cm x 19 cm)	2.7 lbs. (1.2 kg)	$ 56
SS-1.9 LD (ASS-1.9LD)	1.9L SS vacuum insulated decanter with brew through lid. For use with B-ID. Orange lid.	n/a	7.5" x 7.5" x 7.5" (19 cm x 19 cm x 19 cm)	2.7 lbs. (1.2 kg)	$ 56
DR-2SU (ADR-2SU)	Black, powder-coated decanter rack. Accompanies standard glass decanters and SS-1.9 vacuum insulated decanters.	n/a	15" x 11" 17" (38 cm x 28 cm x 43 cm)	3 lbs. (1.4 kg)	$ 54
AGP-2.5 (AGP-2.5)	2.5L vacuum insulated gravity container for use with Model B-DGP.	n/a	18" x 12" x 12" (46 cm x 30 cm x 30 cm)	6.1 lbs. (2.8 kg)	$ 132
70762-C	Case of 6 regular, 2.2L, glass lined airpots.	n/a	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 282
70763-C	Case of 6 regular, 3L, stainless steel lined airpots	n/a	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 402

Decanter/Airpot Brewer Accessories

Glass Coffee Decanters

- Choose black or orange.
- Available in 3-packs or 24-packs.

Model 98000/98005

Model 98001/98006

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
98000	24-pack black glass decanters	22" x 16" x 28" (56 cm x 41 cm x 72 cm)	35 lbs. (16 kg)	$ 166
98001	24-pack orange glass decanters	22" x 16" x 28" (56 cm x 41 cm x 72 cm)	35 lbs. (16 kg)	$ 166
98005	3-pack black glass decanters	24" x 8" x 15" (61 cm x 21 cm x 38 cm)	5 lbs. (2.3 kg)	$ 26
98006	3-pack orange glass decanters	24" x 8" x 15" (61 cm x 21 cm x 38 cm)	5 lbs. (2.3 kg)	$ 26

Brew Baskets & Filter Papers for Decanter/Airpot Brewers

Model	Description	Ship Weight	List Price
A71952	Brew basket, Plastic, AT-Series and Pour-over brewers	4 lbs. (1.9 kg)	$ 22
A71619	Brew basket, Stainless steel, B-Series	4 lbs. (1.9 kg)	$ 100
A06513-04	Filter papers, 12-cup - 1,000 per case	5 lbs. (2.3 kg)	$ 28
ABB1.5WP	Filter paper, 13 x 5 for 71431 brew basket	9 lbs. (4 kg)	$ 64
A71431	Gourmet brew basket: B-SAP, B-DAP, B-DGP	4 lbs. (1.9 kg)	$ 216

CECILWARE®

Model	Description	Ship Weight	List Price
A12	Fits 12 cup brewers. 4.5" bottom, 2.6" sidewall	6 lbs. (2.7 kg)	$ 28
A10	Fits 8 cup office brewers. 3" bottom, 3" sidewall	6 lbs. (2.7 kg)	$ 28
U12	Universal filter. One size fits all. 3.5" bottom, 3.125" sidewall	6 lbs. (2.7 kg)	$ 28

Coffee Warmers

- Available in stainless steel.
- Multiple configurations available.

Model BW-2

Model BW-2SU

Model BW-3T

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
BW-2 (ABW-2)	2 side-by-side warmers, stainless steel with black warmers	120V / 200W / 1.7A	3.5" x 14" x 7" (9 cm x 36 cm x 18 cm)	4 lbs. (2 kg)	$ 92
BW-2SU (ABW-2SU)	2 warmers, step-up, stainless steel with black warmers	120V / 200W / 1.7A	5.5" x 7" x 14" (14 cm x 18 cm x 36 cm)	5.5 lbs. (2.5 kg)	$ 116
BW-3T (ABW-3T)	3 warmers, step-up	120V / 300W / 2.5A	13.25" x 7.5" x 20.5" (34 cm x 19 cm x 53 cm)	12 lbs. (5 kg)	$ 326
Note: Line cord included.					

Decanter/Airpot Brewer Accessories

Airpots/Airpot Racks/ Condiment Holder

- Airpots allow beverages to maintain their quality and temperature for hours.
- Multiple styles of airpot racks to help customize your beverage station.

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
Airpots				
70768-C	Case of (6) 2.2L, glass lined, push top airpots. Black push plate.	17" x 13.5" x 20.5" (43 cm x 34 cm x 52 cm)	25 lbs. (11 kg)	$ 378
70769-C	Case of (6) 2.2L, glass lined, push top airpots. Orange push plate.	17" x 13.5" x 20.5" (43 cm x 34 cm x 52 cm)	25 lbs. (11 kg)	$ 378
70762-C	Case of (6) 2.2L, glass lined, lever top airpots. Black top.	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 282
70767-C	Case of (6) 2.2L, glass lined, lever top airpots. Orange top.	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 282
70763-C	Case of (6) 3.0L, stainless steel lined, lever top airpots.	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 402
AP-3	(1) 3.0L, 101 oz., glass lined, push top airpot. Black top.	11" x 15" x 17" (28 cm x 38 cm x 43 cm)	6 lbs. (3 kg)	$ 96 each
Note: Airpots are individually boxed in each case.				
Airpot Racks & Complete Systems				
70620	Rack only - 2 inline	16.5" x 8" x 22.5" (42 cm x 20 cm x 57)	7 lbs. (3 kg)	$ 96
70759	Rack with lever top pots - 2 inline, black	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	21 lbs. (9.5 kg)	$ 246
70577	Rack only - 2 side by side	9" x 13.5" x 11.5" (23 cm x 34 cm x 29 cm)	6 lbs. (2.7 kg)	$ 96
70659	Rack with lever top pots - 2 side by side	24.5" x 12.5" x 18.75" (62 cm x 32 cm x 48 cm)	16 lbs. (7.3 kg)	$ 244
70571	Rack only - 3 pot wide	9" x 20.5" x 11.75" (23 cm x 52 cm x 30 cm)	8 lbs. (4 kg)	$ 98
70651	Rack with lever top pots - 3 pot wide	29.5" x 12.5" x 27" (75 cm x 32 cm x 69 cm)	27 lbs. (12.3 kg)	$ 330
70576	2 pot riser	7" x 12" x 11.25" (18 cm x 31 cm x 29 cm)	4 lbs. (2 kg)	$ 48
70575	3 pot riser	7" x 18.75" x 11.25" (18 cm x 48 cm x 29 cm)	5 lbs. (2.3 kg)	$ 60
70655	Racks only - (2) inline 2 pot racks	16.5" x 8" x 22.5" (42 cm x 20 cm x 57 cm)	20 lbs. (9 kg)	$ 268
70652	Racks with 4 lever top pots - 2 inline	23" x 22" x 23" (59 cm x 56 cm x 59 cm)	31 lbs. (14 kg)	$ 482
70665	Rack only - 4 pot = (2) 2 pot wide racks + (1) 2 pot riser	33.5" x 12.5" x 18.75" (85 cm x 32 cm x 48 cm)	20 lbs. (9 kg)	$ 276
70758	4 pot rack with (4) lever top pots - (2) 2 pot wide racks + (1) 2 pot riser	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	36 lbs. (16.4 kg)	$ 458
70663	Rack only - 5 pot = (2) 3 pot wide racks + (1) 3 pot riser + (1) condiment holder	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	26 lbs. (12 kg)	$ 330
70653	5 pot rack with 5 lever top pots - (2) 3 pot wide racks + (1) 3 pot riser + (1) condiment holder	38.25" x 15.75" x 29.5" (97 cm x 40 cm x 75 cm)	50 lbs. (23 kg)	$ 680
70657	Rack only - 6 pot = (2) 3 pot wide racks + (1) 3 pot wide riser	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	24 lbs. (11 kg)	$ 272
70757	6 pot rack with 6 lever top pots - (2) 3 pot wide racks + (1) 3 pot riser	38.25" x 15.75" x 29.5" (97 cm x 40 cm x 75 cm)	49 lbs. (22 kg)	$ 550
70611	Sign holder. Works with all 2 pot wide and 3 pot wide racks.	12" x 12" x 6" (31 cm x 31 cm x 15 cm)	2 lbs. (1 kg)	$ 34
Condiment Holder				
70583	Holds 2 cream or sugar canisters or multiple packets in rear compartment.	6.25" x 9.25" x 14" (16 cm x 24 cm x 36 cm)	1 lb. (0.4 kg)	$ 58

Shuttle®/Satellite Coffee Brewers

Shuttle® Coffee Brewers

- Brew into 1.5-gallon air gap insulated Shuttles®.
- Simple-to-operate brewing control panel offers different brewing capabilities & includes a hot water faucet.

Model P200

Model P400E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
P200E (AP-200E)	Single Shuttle® brewer (CS-LL Shuttle® included)	120V / 1750W / 14.6A	26" x 12" x 28" (66 cm x 30 cm x 71 cm)	55 lbs. (25 kg)	$ 1,576
P300E (AP-300E)	Single Shuttle® brewer (CS-LL Shuttle® included)	120/208V / 5000W / 24A 120/240V / 6600W / 28A	29.5" x 11" x 26" (75 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	$ 1,786
P400E (AP-400E)	Dual Shuttle® brewer (2 CS-LL Shuttles® included)	120/208V / 5000W / 24A 120/240V / 6600W / 28A	29.5" x 22" x 26" (75 cm x 56 cm x 66 cm)	100 lbs. (45.4 kg)	$ 2,626
Electrical: Export voltage available.					

PrecisionBrew™ Digital Shuttle® Brewers Series 2.0

- Brew into 1.5-gallon air gap Shuttles®, 1.5-gallon Vacuum Insulated Shuttles®, or 3.0L airpots.
- Digitally controlled brewers.

Model PBVSA-430

Model PBIC-330

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
PB-330 (APB-330)	Single, digitally controlled brewer brews into (1) radiant heat, air insulated, 1.5 gallon CS-LL Shuttle® (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 11" x 26" (83 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	$ 1,994
PB-430 (APB-430)	Twin, digitally controlled brewer brews into (2) radiant heat, air insulated 1.5 gallon CS-LL Shuttles® (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	100 lbs. (45 kg)	$ 3,098
PBVSA-330 (APBVSA-330)	Single, digitally controlled brewer brews into (1) vacuum insulated, VS-1.5 Shuttle® (included) without stand.	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 11" x 26" (83 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	$ 2,438
PBVSA-430 (APBVSA-430)	Twin, digitally controlled brewer brews into (2) vacuum insulated, VS-1.5 Shuttles® (included) without stand.	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	100 lbs. (45 kg)	$ 3,402
PBIC-330 (APBIC-330)	Single, digitally controlled brewer brews into (1) VS-1.5S Shuttle® with stand (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	43.5" x 12.5" x 21.5" (111 cm x 32 cm x 55 cm)	80 lbs. (37 kg)	$ 2,664
PBIC-430 (APBIC-430)	Twin, digitally controlled brewer brews into (2) VS-1.5S Shuttles® with stands (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	145 lbs. (66 kg)	$ 4,222
Electrical: Export voltage available.					

Accessories for Shuttle®/ Airpot Coffee Brewers

Model	Description	Ship Dimen.	Ship Wt.	List Price
CS-LL (ACS-LL)	1.5 gal. (5.7L) SS Shuttle®	12.5" (32 cm) 10.5" (27 cm) 16.25"(41 cm)	10.5 lbs. (4.7 kg)	$ 294
CW-1* (ACW-1)	Warmer for 1.5 gal. (5.7L) Shuttle® (7.5" / 19 cm tall)	12.5" (32 cm) 10.5" (27 cm) 16.5" (42 cm)	5.5 lbs. (2.5 kg)	$ 150
CS-LL/CW-1* (ACS-LL/CW-1)	1.5 gal. (5.7L) SS Shuttle® and warmer for 1.5 gal. (5.7L) Shuttle®	25" (64 cm) 10.5" (27 cm) 16.25" (41 cm)	16 lbs. (7.3 kg)	$ 432
CW-1H* (ACW-1H)	Taller warmer for 1.5 gal. Shuttle® (11.5" / 29 cm tall)	10" (25 cm) 16" (41 cm) 12" (31 cm)	8 lbs. (3.6 kg)	$ 254
AP-3 (AAP-3)	3.0L (101 oz.) airpot	11" (28 cm) 15" (38 cm) 17" (43 cm)	6 lbs. (3 kg)	$ 96
*__Electrical:__ 120V, 100W, 1A. Export voltage available.				

Model	Description	Ship Dimen.	Ship Wt.	List Price
AVS-1.5A (AVS-1.5A)	1.5 gal. (5.7L) vacuum insulated Shuttle®	17" (43 cm) 15.25" (39 cm) 11" (28 cm)	10 lbs. (4.5 kg)	$ 450
VS-1.5S (VS-1.5S)	1.5 gal. (5.7L) vacuum insulated Shuttle® with stand attached	25" (64 cm) 12.5" (32 cm) 17" (43 cm)	13 lbs. (5.9 kg)	$ 496
AVS-1.0A (AVS-1.0A)	1.0 gal. (3.8L) vacuum insulated Shuttle®	17" (43cm) 15.25" (39 cm) 11" (28 cm)	10 lbs. (4.5 kg)	$ 450
VS-1.0S (VS-1.0S)	1.0 gal. (3.8L) vacuum insulated Shuttle® with stand attached	25" (64 cm) 12.5" (32 cm) 17" (43 cm)	13 lbs. (5.9 kg)	$ 496
VS-S (VS-S)	Stand for vacuum insulated Shuttle®	12" (31 cm) 12.5" (32 cm) 16.5" (42 cm)	3.5 lbs. (1.6 kg)	$ 72

Shuttle®/Satellite Coffee Brewer Accessories & Options

Options[1] for Shuttle®/Airpot Brewers & PrecisionBrew™ Digital Shuttle® Brewers

Part No	Description	List Price
AOPT C29	200/208/240V 1Ph for P300	$ 266
AOPT C37	200V, 3Ph for P400	$ 546
AOPT C28	208/240V / 1Ph no neutral for P400	$ 266
AOPT 21AC	208V / 3Ph for Shuttle® brewers	$ 342
AOPT 283	230V / 1Ph under 15A for P300	$ 42
AOPT 281	230V / 1Ph under 15A for P400	$ 42
AOPT 280	230V / 3Ph under 15A for P400	$ 700
AOPT C36	240/250V / 1Ph no neutral for P300	n/c
AOPT C30K	Base, extended 12" for P300	$ 314
AOPT C40K	Base, extended 12" for P400	$ 314
AOPT C20K	Base, w/ 12" faucet clearance	$ 252
AOPT C11	Basket, brew 1.5 gal. SS in place of plastic	$ 94
AOPT C46	Basket, brew 2.0 gal. for P400/300	$ 32
AOPT 7300	Batch, half for P300	$ 214
AOPT 73T00	Batch, half for P400	$ 414
AOPT C44	Bracket, Shuttle® retaining for P300	$ 40
AOPT C43	Bracket, Shuttle® retaining for P400	$ 40
AOPT 71C00	Breaker, Vacuum for P400/P300	$ 422
AOPT 214	Bypass, automatic for P400/300	$ 126
AOPT 120 3	Cord and plug, 120V / 1.8KW / 15A for Shuttle® brewers only	$ 80

[1]**Note:** Option prices in addition to base price.

Part No	Description	List Price
AOPT C32	Element, warmer 130W	$ 38
AOPT 217	Faucet, hot water mounted on the top panel for Shuttle® brewers	$ 68
AOPT 216	Faucet, Touch guard for hot water for Shuttle® brewers	$ 78
AOPT 4400	Feet, Flanged for P400 & P300	$ 128
AOPT C15	Glass, shatterproof on Shuttle®	$ 24
AOPT 8	HC-2, Liquid hopper, 5 qts.	$ 106
AOPT 5	HC-2, Portion control	$ 208
AOPT 19	Legs, 4" metal for Shuttle® brewers	$ 40
AOPT C45	Legs, Bolt down adjustable for P400/300	$ 42
AOPT 47C00	Low Temp No Brew for P400 & P300	$ 450
AOPT 10-COL	Prison Pkg. for Shuttle® brewers	$ 146
AOPT C17	Retainer, Filter for 1.5 gallon brew basket for Shuttle® brewers	$ 50
AOPT C17-2	Retainer, Filter for 2.0 gallon brew basket for Shuttle® brewers	$ 70
AOPT 196	Sprayhead, sealed for P400/300	$ 58
AOPT 196T	Sprayhead, sealed for P430/330	$ 58
AOPT C12	Switch, concealed brew for P400/300	$ 40
AOPT C18	Switch, hidden master for P400/P300	$ 38
AOPT C14	Warmer, auto shut off for P400/300	$ 110

[1]**Note:** Option prices in addition to base price.

Brew Baskets & Filter Papers for Shuttle®/Satellite Coffee Brewers

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
ABB1.5P	Plastic brew basket - Shuttle® brewers	Ships with unit	Ships with unit	$ 22
ABB1.5SS	Stainless steel brew basket - Shuttle® brewers	Ships with unit	Ships with unit	$ 112
ABB1.5WP	Filter paper, 13 x 5 for ABB1.5P and SS brew basket	8.5" x 12" x 9" (22 cm x 31 cm x 23 cm)	7 lbs. (3.2 kg)	$ 64
ABB2.0SS	Gourmet stainless steel brew basket - Shuttle® brewers	Ships with unit	Ships with unit	$ 138
ABB2.0WP	Filter paper, 14 x 6 for ABB2.0SS	9.5" x 15" x 9.5" (24 cm x 38 cm x 24 cm)	9 lbs. (4.1 kg)	$ 64

Filter Papers for Urns, Satellite Coffee Brewers & Iced Tea Brewers

Model	Description	Ship Weight	List Price
718 (F718U)	Fits 3 gal. coffee urns. 18" (45.7 cm) diameter, 6" (15.2 cm) bottom	10 lbs. (4.54 kg)	$ 80
820 (F820U)	Fits 5-6 gal. coffee urns. 20" (50.8 cm) diameter, 8" (20.3 cm) bottom	14 lbs. (6.354 kg)	$ 96
923 (F923U)	Fits 9-10 gal. coffee urns. 23" (58 cm) diameter, 8" (20.3 cm) bottom	17 lbs. (7.71 kg)	$ 148
2511 (F2511)	Fits special 10 gal. coffee urns. 25" (63.5 cm) diameter, 11" (27.9 cm) bottom	20 lbs.(9.07 kg)	$ 148
412 (F412U)	Fits satellite coffee brewers, iced tea brewers. 12.75" (32.4 cm) diameter, 5" (12.7 cm) bottom	6 lbs. (2.72 kg)	$ 64
514 (F514U)	Fits satellite coffee brewers, iced tea brewers. 14" (35.6 cm) diameter, 5" (12.7 cm) bottom	7 lbs. (3.18 kg)	$ 64

Note: Packed 500 per box

Coffee Urns

Model FE75N

Model FE100N

Model FE200

Single 3 Gallon Urns

- New solid-state dual water level control.
- New Silicone Fittings - Prevent corrosion, pitting & leakage.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE75N (101805)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph	H: 28.5" (74.5 cm) W: 21.5" (54.6 cm) D: 17.5" (44.5 cm)	75 lbs. (34 kg)	$ 3,150
FE75N 3 Phase (101806)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 6KW / 15A / 3Ph 120/208V / 4.5KW / 12A / 3Ph		75 lbs. (34 kg)	$ 3,308
CL75N (118802)	Adjustable by-pass, push button agitator, electro-mechanical timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph		75 lbs. (34 kg)	$ 2,940

Plumbing: .25" (6.35 mm) water line required • **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage, 240/380/440 available, add 10% to list price • Stainless steel construction • Order #718 filters • N = new solids state liquid level control system, updated design, silicone grommets, etc.

Twin 3 Gallon Urns

- New modern look & user friendly operation.
- New Silicone Fittings - Prevent corrosion, pitting & leakage.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE100N (102417)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 8KW / 34A / 1Ph 120/208V / 6KW / 17A / 1Ph	17.5" (44.5 cm) 28.5" (74.5 cm) 33.5" (85 cm)	100 lbs. (45.4 kg)	$ 3,760
FE100N 3 Phase (102418)		120/240V / 8KW / 20A / 3Ph 120/208V / 6KW / 17A / 3Ph			$ 3,928
CL100N (117402)	Adjustable by-pass, push button agitator, electro-mechanical timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph			$ 3,434

Plumbing: .25" (6.35 mm) water line required • **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10% to list price • Stainless steel construction. • Order #718 filters • N = New solid state liquid level control system, upgraded design, silicone grommets, etc.

Twin 6 Gallon Urns

- Two brew buttons - This feature allows you to brew either 1 or 2 lbs. of coffee at a time by the push of the 1 or 2 lbs. brew button.
- Automatic refill - Automatically replenishes the urn jacket with fresh water as soon as it starts running low giving you piping hot water on demand.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE200 (104400)	Adjustable by-pass, automatic agitator, solid state timer. 1 & 2 lbs. brew.	120/240V / 10KW / 42A / 1Ph 120/208V / 7.5KW / 38A / 1Ph	37.5" (95 cm) 19.5" (49.5 cm) 33" (83.8 cm)	130 lbs. (59 kg)	$ 5,250
FE200 3 Phase (104415)		120/240V / 10KW / 24A / 3Ph 120/208V / 7.5KW / 22A / 3Ph		130 lbs. (59 kg)	$ 5,418
CL200 (119400)	Adjustable by-pass, push button agitator, electro-mechanical timer, 2 lbs. brew only.	120/240V / 10KW / 42A / 1Ph 120/208V / 7.5KW / 38A / 1Ph		130 lbs. (59 kg)	$ 5,040

Plumbing: .25" (6.35 mm) water line required • Stainless steel construction. • Order #820 filters.
Electrical: Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10% to list price.

Coffee Urns & Chinese Hot Tea Urns

Model FE300

Model CH100N

Twin 10 Gallon Urns • Automatic water refill • Brews in 3 pound batches.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE300 (108403)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 15KW / 35A / 3Ph 120/208V / 11.5KW / 30A / 3Ph	35" (89 cm) 42" (106.7 cm) 21.5" (54.6 cm)	170 lbs. (77.1 kg)	$ 6,510
Plumbing: .25" (6.35 mm) water line required. **Electrical:** Available in 3 Phase only. Export voltage 240/380/440 available, add 10% to list price • Stainless steel construction • Order #923 filters					

Chinese Hot Tea Urns • New Silicone Fittings - Prevent corrosion, pitting & leakage.

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
CH75N (119882)	Single, 3-gallon (11.4L) Electro-Mechanical timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph 120/240V / 6KW / 15A / 3Ph 120/208V / 4.5KW / 12A / 3Ph	H: 28.5" (74.5 cm) W: 21.5" (54.6 cm) D: 17.5" (44.5 cm)	75 lbs. (34 kg)	$ 2,994
CH100N (119905)	Twin, 3-gallon (11.4L) Electro-Mechanical timer	120/240V / 8KW / 34A / 1Ph 120/208V / 6KW / 29A / 1Ph 120/240V / 8KW / 20A / 3Ph 120/208V / 6KW / 17A / 3Ph	H: 28.5" (74.5 cm) W: 33.5" (85 cm) D: 17.5" (44.5 cm)	100 lbs. (45.4 kg)	$ 3,478
Plumbing: .25" (6.35 mm) water line required. • Stainless steel construction • Baskets not included with these models - designed for tea. **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10% to list price.					

Options - Coffee Urns

Description	List Price
Double service for Twin Urns, with gauge glass (OPT401)	$ 494
Double service for Single Urns, with gauge glass (OPT400)	$ 336
Dual or 1/2 Brew on FE/CL75N, FE/CL100N, FE300 (OPT402)	$ 242
3 Phase wiring	$ 168
Export voltages 220V, 380V, 440V	ADD 10%
Low water cut off (*please consult factory*)	$ 106

Correctional Package - Coffee Urns

List Price
Single Urn (PRISO1) . . . . $ 1,104
Double Urn (PRISO2) . . . $ 1,470

Description	Description
• Legs drilled and tapped for tie down	• Tamperproof screws on control box
• Hot water ready indicator. No temp. gauge	• Low temperature lockout- no brew
• Air agitation stainless steel tubing	• Spray arm not removable w/o tools
• Acrylic gauge glass	• Locking lids (locks not supplied)
• Fixed by-pass valve w/ set screw adjustment	• Hex configuration on all faucet bonnets; removable by tool only
• Thermostat guard box, w/ tamperproof screws	**Optional:** Hinged Lids

Coffee Urns

PrecisionBrew™ Barista Series™ Urns

- PrecisionBrew™ technology gives user complete control over the brew cycle, contact time, and brew temperature.
- Three batch sizes per liner.
- Dual wall, air insulated, electropolished liners hold coffee between 180°F and 185°F.

Model PB-8303E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
PB-8113E (APB-8113E)	One, 3-gallon (11.4L) liner. Pump style only.	8.0KW / 120/208V / 38A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	105 lbs. (48 kg)	$ 7,922
PB-8103E (APB-8103E)	Two liners, 3-gallons (11.4L) each. Heat exchange style standard. Optional pump style available.	11.5KW / 120/208V / 55A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	145 lbs. (66 kg)	$ 10,141
PB-8303E (APB-8303E)	Three liners, 3-gallons (11.4L) each. Pump style only.	11.5KW / 120/208V / 55A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	195 lbs. (89 kg)	$ 17,324

AMW Space Saver Urns

- Insulated body.
- Controls located under body saves space.
- Fresh Water Style: Single and Twin liner models.
- Pump Style: Triple liner models.

Model 8103(E)

Model 8303(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
Single Space Saver Urns					
8113(E) (A8113E)	One, 3-gallon (11.4L) liner	8.0KW / 120/208V / 38A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	105 lbs. (48 kg)	$ 6,596
8116(E) (A8116E)	One, 6-gallon (22.7L) liner	11.5KW / 120/208V / 55A / 1Ph	42" x 45" x 26" (107 cm x 114 cm x 66 cm)	145 lbs. (66 kg)	$ 7,606
80110(E) (A80110)	One, 10-gallon (38L) liner	15KW / 120/208V / 72A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	150 lbs. (68 kg)	$ 9,116
Twin Space Saver Urns					
8103(E) (A8103E)	Two liners, 3-gallons (11.4L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	145 lbs. (66 kg)	$ 8,681
8106(E) (A8106E)	Two liners, 6-gallons (22.7L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	195 lbs. (89 kg)	$ 9,612
81010(E) (A81010E)	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	210 lbs. (95 kg)	$ 10,326
Triple Space Saver Urns					
8303(E) (A8303E)	Three liners, 3-gallons (11.4L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	195 lbs. (89 kg)	$ 14,438
8306(E) (A8306E)	Three liners, 6-gallons (22.7L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	240 lbs. (109 kg)	$ 16,088
83010(E) (A83010E)	Three liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	275 lbs. (125 kg)	$ 18,244

Electrical: Specify 3 phase if needed. Export voltage available: 240/380/440 Single or 3 Phase. See option chart on page 18 for prices.

Coffee Urns

AMW Midline Heat Exchange Urns

- Freshwater brewing - Water used for brewing is fresh water that is heated in a coiled, nickel-plated, copper heat exchange tube inside the urn. As water passes through the heat exchanger coil it is heated to optimum brew temperature.
- Automatic coffee agitation.

Model 7413E

Model 7443E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
Single Midline Heat Exchange Urns					
7413E (A7413E)	One, 3-gallon (11.4L) liner	5.5KW / 120/208V / 26A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	90 lbs. (41 kg)	$ 3,328
7416E (A7416E)	One, 6-gallon (22.7L) liner	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	125 lbs. (57 kg)	$ 4,366
74110E (A74110E)	One, 10-gallon (38L) liner	15 KW / 120/208V / 72A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	135 lbs. (61 kg)	$ 5,636
Twin Midline Heat Exchange Urns					
7443E (A7443E)	Two liners, 3-gallons (11.4L) each	6.0KW / 120/208V / 29A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	115 lbs. (52 kg)	$ 3,894
7446E (A7446E)	Two liners, 6-gallons (22.7L) each	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	155 lbs. (70 kg)	$ 5,032
74410E (A74410E)	Two liners, 10-gallons (38L) each	15 KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	165 lbs. (75 kg)	$ 6,136
Electrical: Specify 3 phase if needed. Export voltage available: 240/380/440 Single or 3 Phase. See option chart on page 18 for prices.					

AMW Midline Pump Urns

- Pump style brewing - A pump draws water from the tank and uses that water to brew coffee.
- Automatic coffee agitation.

Model 7713(E)

Model 7303(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
Single Midline Pump Urns					
7713(E) (A7713E)	One, 3-gallon (11.4L) liner	5.5KW / 120/208V / 26A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	90 lbs. (41 kg)	$ 3,236
7716(E) (A7716E)	One, 6-gallon (22.7L) liner	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	125 lbs. (57 kg)	$ 4,366
77110(E) (A77110E)	One, 10-gallon (38L) liner	11.5KW / 120/208V / 55A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	135 lbs. (61 kg)	$ 5,636
Twin Midline Pump Urns					
7773(E) (A7773E)	Two liners, 3-gallons (11.4L) each	5.5KW / 120/208V / 26A / 1Ph	42" x 41" x 26" (104 cm x 107 cm x 66 cm)	115 lbs. (52 kg)	$ 3,894
7776(E) (A7776E)	Two liners, 6-gallons (22.7L) each	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (104 cm x 107 cm x 66 cm)	155 lbs. (70 kg)	$ 5,032
77710(E) (A77710E)	Two liners, 10-gallons (38L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 57" x 28" (104 cm x 107 cm x 66 cm)	165 lbs. (75 kg)	$ 6,136
Triple Midline Pump Urns					
7303(E) (A7303E)	Three liners, 3-gallons (11.4L) each	6.0KW / 120/208V / 29A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	160 lbs. (73 kg)	$ 6,954
7306(E) (A7306E)	Three liners, 6-gallons (22.7L) each	8.5KW / 120/208V / 41A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	195 lbs. (89 kg)	$ 9,476
73010(E) (A73010E)	Three liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	205 lbs. (93 kg)	$ 11,418
Electrical: Specify 3 phase if needed. Export voltage available: 240/380/440 Single or 3 Phase. See option chart on page 18 for prices.					

Coffee Urns

AMW Tamper Resistant Urn (High Volume)

- No exposed fasteners.
- All components under lock and key.
- Permanent filter baskets: No filter papers needed.
- High speed brewing: two independent brew heads.

Model 67710(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
67710(E) (A67710E)	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	275 lbs. (125 kg)	$ 13,218

AMW High Speed High Volume Urn

- Simultaneous two side brewing.
- Low water cutoff.
- Automatic air agitation.
- Pump style urn.

Model 87710(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
87710(E) (A87710E)	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	220 lbs. (100 kg)	$ 13,356

AMW Banquet Brewing Systems

- Coffee brewing and holding urn systems consisting of one or two high speed automatic coffee brewing urns of twin 10-gallon coffee capacity and a holding urn with multiple dispensing faucets.
- As little as 200 or up to 4,000 cups of coffee may be brewed and held at any one time ready for serving.

Model AMV-60(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
AMV-60(E)	60-gallon (227L) capacity One 40-gallon (151L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	2 skids: 42" x 27" x 41" (107 cm x 69 cm x 104 cm) 43" x 27" x 54" (109 cm x 69 cm x 137 cm)	460 lbs. (209 kg) ships in 2 containers	$ 19,310
AMV-80(E)	80-gallon (303L) capacity One 60-gallon (227L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	60.5" x 42" x 29" (154 cm x 107 cm x 74 cm)	480 lbs. (218 kg) ships in 2 containers	$ 20,418
AMV-120(E)	120-gallon (454L) capacity One 80-gallon (303L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	56.25" x 65" x 29" (143 cm x 165 cm x 74 cm)	690 lbs. (313 kg) ships in 3 containers, 2 skids	$ 35,576
AMV-160(E)	160-gallon (606L) capacity One 120-gallon (454L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	67" x 65" x 29" (170 cm x 165 cm x 74 cm)	715 lbs. (324 kg) ships in 3 containers, 2 skids	$ 37,206

Coffee Urn Options & Accessories

AMW Urn Options

Description	List Price
208V / 3Ph for midline 3 gal. urns (AOPT 21AU)	$ 342
208/240V / 3Ph / 3W (AOPT 21BU3)	$ 372
380/480V / 3Ph / 3W (AOPT 21CU3)	$ 620
380V / 3Ph for export midline urns (AOPT 21CUTL3)	$ 608
480V / 3Ph / 3W for AMV 60/80 (AOPT 21DOO)	$ 620
480V / 3ph / 3W for AMV 120/160 (AOPT 21EOO)	$ 938
Box left	n/c
Breaker, Vacuum for urns (AOPT 7100)	$ 422
Cord and plug, 120V / 15A / 14 AWG for urns only	n/c
Cover, control (AOPT 93L10)	$ 316
Feet, bullet, drilled and tapped for all urns (AOPT 45)	$ 68
Feet, Flanged for urns (AOPT 4400U)	$ 126
Jug fill, gravity (AOPT 5700)	$ 524
Jug fill, high speed for AMV systems (AOPT 70S100)	$ 2,938
Jug fill, high speed for space saver urns (AOPT 70T100L)	$ 3,608
Jug fill, high speed right side for triple space saver urns (AOPT 70T3)	$ 5,880

Description	List Price
Legs, higher for urns specify size (AOPT 5800)	$ 148
Low Temp No Brew - single & twin (AOPT 47UOO)	$ 450
Overfill protection for 40 and 60 gallon holding tanks	$ 922
Overfill protection for 80 and 120 gallon holding tanks	$ 1,192
Prison Pkg. (AOPT 10)	$ 956
Service, double for midline and space saver urns (AOPT DS201)	$ 812
Service, double no gauges (AOPT DS102)	$ 660
Service, double no gauges for 87710 (AOPT DS108)	$ 1,510
Service, double no gauges single midline and space saver urns (AOPT DS401)	$ 468
Service, double single midline urns 3 gallon (AOPT DS101)	$ 578
Service, triple midline and space saver urns (AOPT TS-202)	$ 1,038
Service, triple, no gauges for midline and space saver urns (AOPT TS-101)	$ 852
Shank, extension (AOPT 7700)	$ 150
Spout, extension (AOPT 7800)	$ 62
Transformer for freshwater urns 2 wire (AOPT 2200)	$ 160
Transformer for pump urns 2 wire (AOPT 2200P)	$ 322

Brew Baskets and Filter Papers for Urns

Model	Description	List Price
3 Gallon Urn Brew Baskets and Filter Papers		
ABB3 (ABB3)	Brew basket, 3 gal. urn	$ 96
ABB3WP (ABB3WP)	Filter paper, 3 gal. urn	$ 80
ABB3-1.5 (ABB3-1.5)	Brew basket, 1/2 batch, 3 gal. urn	$ 180
ABB2.0WP (ABB2.0WP)	Filter paper for ABB3-1.5	$ 64
A#153 (A#153)	Brew basket, permanent SS screen, 3 gal. urn	$ 206

Model	Description	List Price
6 Gallon Urn Brew Baskets and Filter Papers		
ABB6 (ABB6)	Brew basket, 6 gal. urn	$ 128
ABB6WP (ABB6WP)	Filter paper, 6 gal. urn	$ 96
ABB6-3 (ABB6-3)	Brew basket, 1/2 batch, 6 gal. urn	$ 152
ABB3WP (ABB3WP)	Filter paper for ABB6-3	$ 80
A#156 (A#156)	Brew basket, permanent SS screen, 6 gal. urn	$ 218
10 Gallon Urn Brew Baskets and Filter Papers		
ABB810 (ABB810)	Brew basket, 10 gal. urn	$ 150
ABB6WP (ABB6WP)	Filter paper for ABB810-6	$ 96
ABB810-6 (ABB810-6)	Brew basket - 1/2 batch, 10 gal. urn	$ 170
ABB810WP (ABB810WP)	Filter paper, 10 gal. urn	$ 148
A#158 (A#158)	Brew basket permanent SS screen, 10 gal. urn	$ 274

Hot Water Boilers & Dispensers

ME & CME (Chinese label) Water Boilers

- Automatic refill system.
- Precision multi-setting thermostat with hold setting.

Model ME10EN

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
ME10EN - 120V (121505)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 1,875*
ME10EN - 240V (121511)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 1,761*
CME10EN -120V (121701)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 1,862*
CME10EN -240V (121711)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 1,862*
ME15EN - 120V (121574)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 1,963*
ME15EN - 240V (121561)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 2,022*
CME15EN - 120V (121751)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 1,838*
CME15EN - 240V (121771)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 2,022*
Electrical: Specify voltage, 120V, 1.8KW; 208V, 5.3KW; 240V, 7KW, 1Ph, export voltage 240/380/440 available, add 10%. **Plumbing:** .25" (6.35 mm) water line required • Specify ME or CME (chinese label) • N = new solid state liquid level control system, updated design, silicone grommets, etc.				

*Please note price adjustment. Effective June 4, 2012.

Portable Coffee Holding Urns, Portable Hot Water Boilers

Model CS113

Model	Description	Dimensions (H x Diameter)	Ship Weight	List Price
CS113 (431500)	3 gallon (11.4L)	21.5" x 11" diameter (54.6 cm x 28 cm)	15 lbs. (6.8 kg)	$ 788
CS115 (432500)	5 gallon (18.9L)	27.5" x 11" diameter (70 cm x 28 cm)	18 lbs. (8.2 kg)	$ 894
Electrical: 120V, 1.4KW, 11.6A Line cord included • Stainless steel construction.				

Hot Water Boilers & Dispensers

Hot Water Dispensers

- Instant automatic water refill
- Energy efficient system - Keeps water temperature constant every time.

Model HWD5PC-BL

Model HWD2

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
HWD2 (080500)	2-gallon (7.6L)	20" x 9.25" x 21.25" (51 cm x 23.5 cm x 54 cm)	24 lbs. (10.9 kg)	$ 924
HWD3 (080560)	3-gallon (11.4L)	24" x 9.25" x 21.25" (61 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1,104
HWD3PC (080565)	3-gallon (11.4L) with portion control	24" x 9.25" x 21.25" (61 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1,356
HWD5 (080582)	5-gallon (18.9L)	30" x 9.25" x 21.25" (76 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1,386
HWD5PC (080585)	5-gallon (18.9L) with portion control	30" x 9.25" x 21.25" (76 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1,638

Plumbing: .25" (6.35 mm) water line required • **Electrical:** Line cord included; HWD2/3/3PC: 120V, 18.KW, 15A, 240V, 3 KW, 20A; HWD5/5PC: 120V, 18.KW, 15A, 240V, 6.6 KW, 30A; export voltage 220V, 50, 1 available, add 5% list price. • Stainless steel construction • 2" legs optional, add $50 list price • Black finish available on 3 and 5 gallon models only; add -BL suffix to model number.

Heavy Duty Hot Water Boilers

- Water temperature is maintained between 190°F and 200°F (88°C and 93°C)
- Water compartment automatically refills and reheats as necessary.
- Dial thermometer with color-marked temperature zone.

Model 815(E)

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
810(E) (A810E)	10-gallon (37.8L) capacity	22.5" x 18" x 15" (57 cm x 46 cm x 38 cm)	82 lbs. (37 kg)	$ 1,716
815(E) (A815E)	15-gallon (56.8L) capacity	24" x 18" x 15" (61 cm x 46 cm x 38 cm)	85 lbs. (39 kg)	$ 1,752
830(E) (A830E)	30-gallon (114L) capacity	27" x 24.5" x 20.25" (69 cm x 62 cm x 51 cm)	125 lbs. (57 kg)	$ 2,676
850(E) (A850E)	50-gallon (189L) capacity	32" x 24.5" x 20.25" (81 cm x 62 cm x 51 cm)	145 lbs. (66 kg)	$ 3,148

Plumbing: 3/8" FPT water inlet • **Electrical:** Line cord not included; standard voltage is 120/240V or 120/208V single phase 3 wire (neutral wire required). Export voltages available. • Stainless steel construction • Available option: OPT. 79 - extra water faucet, no gage, front or back.

Espresso Machines & Accessories

Venezia II Espresso Machines

- Dispense in automatic or semi automatic mode.
- Touch pad control panel.
- Makes single or double espresso; 1 or 2 cups at a time.
- Double gauge for boiler & pump pressure control.

Model ESP2-220V

Model	Description	# of Heads	Boiler Size	Cups / Hr.*	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
ESP1-110V (077903)	Automatic / Semi Automatic	1 Group	6 qts. (5.67L)	240	20.31" x 21.56" x 21.5" (52 cm x 55 cm x 55 cm)	120V / 2KW / 18A	106 lbs. (48 kg)	$ 5,094
ESP1-220V (077900)	Automatic / Semi Automatic	1 Group	6 qts. (5.67L)	240	20.31" x 21.56" x 21.5" (52 cm x 55 cm x 55 cm)	240V / 2.5KW / 10A	106 lbs. (48 kg)	$ 5,356
ESP2-220V (077901)	Automatic / Semi Automatic	2 Group	13 qts. (12.3L)	480	28.38" x 21.56" x 21.5" (72 cm x 55 cm x 55 cm)	240V / 4.7KW / 20A	147 lbs. (67 kg)	$ 6,090
ESP3-220V (077902)	Automatic / Semi Automatic	3 Group	19 qts. (18L)	720	37.88" x 21.56" x 21.5" (96 cm x 55 cm x 55 cm)	240V / 6.5KW / 27A	185 lbs. (84 kg)	$ 7,770

Plumbing: .5" (12.7 mm) pipe fitting connection required. **Electrical:** Line cord included, WITHOUT plug. * Demi Tasse Cups.
Heating Element: ESP1-110V = 1.5KW, ESP1-220V = 2KW, ESP2-220V = 4KW, ESP3-220V = 6KW.
Accessories: Two & one cup filter holder assemblies & hoses are included with all espresso machines.
Installation Package: Includes in-line water filter, part OPTESP, add $900 to list price.
Note: In-line water filter must be installed for warranty to be in effect. Does not include Barista Training

Espresso Machine Accessories

Model	Features	Specifications	List Price
60254	• **Carbon filter cartridge** - Filters out impurities and softens the water. Reduces mineral build-up that can damage your machine.	• Material: High impact heavy gauge plastic • Dim (HxWxD): .25" x 9.25" x 5.5" (.6 cm x 23 cm x 14 cm) • Ship dim (HxWxD): 16.25" x 12.75" x 6.75" (41 cm x 32 cm x 17 cm) (for filter housing)	$ 16
60220	• **Dump box** - Provides the ideal place to discard used coffee grounds.	• Material: 18/18 stainless steel w/thick rubber cross bar • Size (HxWxD): 2.5" x 10.38" x 6.38" (6 cm x 26 cm x 16 cm)	$ 58
60207	• **Espresso machine cleaner** - One packet of cleaner is all you need to back wash each group head once a week.	• Box contains 100 single use packets	$ 32
60206	• **Filter system** - Includes housing and 2 cartridges (carbon filter and water softener).	• Ship Dim (HxWxD): 16.75" x 16.75" x 16.75" (43 cm x 43 cm x 43 cm)	$ 198
60112	• **Hand tamper** - Perfect for flattening and leveling the bed of ground coffee in your filter holder.	• Material: Black high impact plastic • Size: 3" long w/ 2" D and 2.5" ends • Unit: one	$ 14
60201	• **Kit #1** - Includes the following: dump box, steam pitcher, measuring spoon, tamper and cleaner.	• Ship dim (HxWxD): (one carton) • 9.25" x 8.5" x 9.5" (23 cm x 22 cm x 24 cm)	$ 124
60205	• **Kit #2** - Includes the following: water filter/softening system, dump box, steam pitcher, measuring spoon, tamper and cleaner.	• Ship dim: (HxWxD) (one carton) • 22" x 14.5" x 10.5" (56 cm x 37 cm x 27 cm)	$ 310
60113	• **Measuring spoon** - Stainless steel measuring spoon holds 7 grams of coffee.	• Material: Stainless steel • Size: 7 grams • Unit: one	$ 8
63174	• **Pump system** - Provides 60 PSI from any size container. • **Light/buzzer** - warns when pump is dry. • **Plumbing** - .25" flare outlet, 3/8" barbed inlet.	• 115V / 1.5A (Draws 1.3A) • Ship weight: 13 lb. (5.9 kg) • Dim (HxWxD): 11.25" x 17" x 5.25" (29 cm x 43 cm x 13 cm) • Ship dim (HxWxD): 12.5" x 20" x 7.25" (32 cm x 51 cm x 18 cm)	$ 328
60208	• **Steam pitcher (20 oz. / 0.6L)** - This top quality pitcher is a must for steaming and frothing milk.	• Material: 18/10 stainless steel Size: 20 oz. / 0.6L; Unit: one	$ 28
60247	• **Steam pitcher (32 oz. / 1L)** - This top quality pitcher is a must for steaming and frothing milk.	• Material: 18/10 stainless steel Size: 32 oz. / 1L; Unit: one	$ 36
60253	• **Water softener cartridge**	• Material: High impact heavy gauge plastic • Dim (HxWxD): .25" x 9.25" x 5.5" (.6 cm x 23 cm x 14 cm) • Ship dim (HxWxD): 16.25" x 12.75" x 6.75" (41 cm x 32 cm x 17 cm)	$ 44

Espresso Grinders

Venezia Espresso Grinders

- Micro "Grind Control" Adjustment - An exclusive adjustment system that gives the operator infinite control over grind settings. No more preset "clicks" for grind settings.
- Cast aluminum frame – Insures perfect grind head alignment.
- Stroke counter – Indicates the number of cups of espresso that had been served.

Model VGA

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
VGT (077800)	Espresso grinder with manual timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1600 rpm	120V / 350W / 2.9A	23.5" H (59.69 cm) 7.75" W (19.69 cm) 10.5" D (26.67cm)	31 lbs. (14 kg)	$ 1,432
VGA (077810)	Espresso grinder with automatic timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1600 rpm	120V / 350W / 2.9A		31 lbs. (14 kg)	$ 1,776
VGHDA (077820)	Heavy duty espresso grinder with automatic timer. Grinding blades: 3.25" (8.3 cm) dia. Grinding speed: 1600 rpm	120V / 650W / 5.4A	25.4" H (64.52 cm) 8.75" W (22.22 cm) 11.5" D (29.21 cm)	44 lbs. (20 kg)	$ 2,490

Note: Electrical line cord included, NEMA plug 5-15P • **Espresso bean capacity:** VGT & VGA - 2.7 lbs. (1.2 kg), VGHDA - 4 lbs. (1.8 kg) • Dose adjustment - 5.5g - 9g • **Ground espresso container capacity:** VGT & VGA - 0.6 lbs. (0.3 kg), VGHDA - 0.8 lbs. (0.4 kg) • **HP:** VGT & VGA - 1/2 hp, VGHDA - 1 hp

Venezia II Espresso Grinder

- Micro "Grind Control" Adjustment - An exclusive adjustment system that gives the operator infinite control over grind settings. No preset "clicks" for grind settings.
- Cast aluminum frame – Insures perfect grind head alignment.

Model HC-600

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
HC-600 (077950)	Espresso grinder with manual timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1550 rpm	120V / 350W / 3A	22" (55.88 cm) 8.5" (25.59 cm) 13" (33 cm)	31 lbs. (14 kg)	$ 988

Note: Electrical line cord included, NEMA plug 5-15P • **Espresso bean capacity:** VGT & VGA - 2.7 lbs. (1.2 kg), VGHDA - 4 lbs. (1.8 kg) • **Dose adjustment**: 5.5g - 9g • **Ground espresso container capacity:** .6 lbs. (.27 kg) • **HP:** .5

Liquid Coffee Dispensers

Liquid Coffee Dispensers

- Operator portion override button for large volume dispenses.
- Thermal electric cooled product compartment on LCD-2R.
- Digital controls for set-up and calibration.

Model LCD-2A

Model	Bag-In-Box Capacity	Water Tank Capacity	Dispense Ratio	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
LCD-2A (ambient) (63549)	Two .5 gal. (1.9L) One 1 gal. (3.8L)	4.5 gal. (15L)	15:1 up to 50:1	31" x 13" x 26" (79 cm x 104 cm x 66 cm)	208/240V / 6.6W / 30A	105 lbs. (48 kg)	$ 3,910

item discontinued

Water Connector: .375" (9.5 mm) male flare, connect to a .375" (9.5 mm) I.D. or larger supply line. A shut-off valve should be installed in the line before the unit.
Total Brewing Capacity: 5 gal./19L per hr. (120V units), 20 gal./76L per hr. (208/240V units) - assume 55°F/13°C inlet temp.
Notes: Dispense up to 320 8oz.(237 ml) cups per hour (based on 55°F/13°C water inlet).

Soluble Beverage Dispensers

Soluble Coffee Dispensers

- High performance - Dispense coffee on demand to meet the needs of high volume locations.
- Operator friendly - Adjustable settings via digital LCD controls in front.
- Simple service access.
- Product hopper can hold enough product for 37 gal.(140L) of delicious coffee.

Model FDD 2500-1-M-B

Model	Description	Tank Cap.	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
FDD 2500-1-M-B Manual (63519)	Coffee pull-handle with manual actuation	7.5 gal. (28.4L)	34-35" (adj.) x 17.25" x 24.75" (87-89 cm x 44 cm x 63 cm)	37.5" x 25" x 26.375" (95 cm x 64 cm x 67 cm)	135 lbs. (61 kg)	$ 6,066
FDD 2500-3-M-B Manual (63520)	Coffee pull-handle with manual actuation	7.5 gal. (28.4L)	34-35" (adj.) x 17.25" x 24.75" (87-89 cm x 44 cm x 63 cm)	37.5" x 25" x 26.375" (95 cm x 64 cm x 67 cm)	135 lbs. (61 kg)	$ 6,066
FDD 2500-1-3A-B Portion Control (63521)	Touchpad dispense with 3 portion sizes per head	7.5 gal. (28.4L)	34-35" (adj.) x 17.25" x 24.75" (87-89 cm x 44 cm x 63 cm)	37.5" x 25" x 26.375" (95 cm x 64 cm x 67 cm)	135 lbs. (61 kg)	$ 6,066
FDD 2500-3-3A-B Portion Control (63522)	Touchpad dispense with 3 portion sizes per head	7.5 gal. (28.4L)	34-35" (adj.) x 17.25" x 24.75" (87-89 cm x 44 cm x 63 cm)	37.5" x 25" x 26.375" (95 cm x 64 cm x 67 cm)	135 lbs. (61 kg)	$ 6,360
Accessories			ships with unit			
Jug fill adapter #63402 (63402)	Fill large (5 gal. / 19L) containers with coffee	n/a				$ 168

items discontinued

Electrical: FDD 2500-1-M-B, FDD 2500-1-3A-B - 120/240V, 6.6KW, 28A, 120/208V, 5KW, 24A (1 phase); FDD 2500-3-M-B, FDD 2500-3-3A-B - 120/240V, 1.11KW, 26.8A, 120/208V, 8.34KW, 23.2A (3 phase). **Number Of Heads:** 2 coffee + 1 hot water. **Dispense Rate:** 2.2 oz. (65 ml) per second.
Notes: Units allow for dispensing into individual cups, 64 oz. (1.9L) decanters, 44 oz. (1.3L) servers, and 74 oz. (2.2L) airpots.

Soluble Beverage Dispensers

Soluble Coffee Dispensers

- Adjustable product strength – Product strength can be quickly adjusted by the turn of a dial.
- Fast Flow – Dispenses 30% faster, reducing wear and tear on major components.

Model Java Giant 2

Model Java 2 QB-D3

Model Java 2QB

Model	Series	Number of Hoppers & Capacity[3]	Electrical	Tank Cap.	Burst Cap.[2]	Dimensions (H x W x D)	Ship Weight	List Price
High Volume Soluble Coffee Dispensers								
Java Jr-PC-HP (080360)	High Volume	Two 2 lbs. (Two 1 kg)	208V, 4KW, 19A, 1Ph; 208V, 8KW, 38A, 1Ph[1]; 208V, 12KW, 58A, 1Ph[1]	6 gal. (22.7L)	98	33" x 11" x 22" (84 cm x 28 cm x 56 cm)	90 lbs. (41 kg)	$ 4,516
Java Giant 2 (080390)	High Volume	Two 3 lbs. (Two 2.5 kg)	230V, 6KW, 26A, 1 Ph 230V, 9KW, 39A, 1Ph[1] 230V, 18KW, 78A, 1Ph[1] 230V, 18KW, 45A, 3Ph[1]	8.5 gal. (32.1L)	150	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	$ 5,146
Java Giant 3	High Volume	Three 3 lbs. (Three 2.5 kg)		12 gal. (45.4L)	225	40.5" x 20.37" x 24.25" (103 cm x 52 cm x 62 cm)	195 lbs. (88 kg)	$ 6,196
Decanter/Cup Soluble Coffee Dispensers								
Java 2 QB-D w/1 Dispense Head (08033G)	Soluble	Two 14 oz. (Two .4 kg)	120V, 1.7KW, 15A 240V, 3.8KW, 20A	1 gal. (3.7L)	24	22" x 8" x 17" (56 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	$ 2,416
Java 2 QB-D1* w/1 Dispense Head	Soluble	Two 14 oz. (Two .4 kg)		1 gal. (3.7L)	24	22" x 8" x 17" (56 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	$ 2,416
Java 2 QB-D2* w/1 Dispense Head	Soluble	Two 14 oz. (Two .4 kg)		1 gal. (3.7L)	24	23.5" x 8" x 17" (60 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	$ 2,468
Java 2 QB-D3 w/1 Dispense Head (08033H)	Soluble	Two 14 oz. (Two .4 kg)		1 gal. (3.7L)	24	23.5" x 8" x 17" (60 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	$ 2,478
Java 2 QB-DC* w/2 Dispense Heads	Soluble	Two 14 oz. (Two .4 kg)	120V, 1.5KW, 15A 240V, 3.5KW, 20A	1 gal. (3.7L)	24	22" x 8" x 17" (56 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	$ 2,752
Satellite/Airpot Soluble Coffee Dispenser								
Java 2QB[4] w/ car (080348)	Soluble	Two 2 lbs. (Two 1 kg)	120V, 1.5KW, 15A 240V, 3.5KW, 20A	3.8 gal. (14.3L)	78	34.5" x 10" x 19.37" (88 cm x 25 cm x 49 cm)	75 lbs. (34 kg)	$ 2,836

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Export voltage 220 available, add 5%.; [1]**Electrical Option:** add $300 to list price. [2]**Burst Cap.** based on 6 oz. cups. [3]**Coffee:** 2 & 3 lbs. (1 kg & 1.36 kg) hoppers are equivalent to 5.5 lbs. (2.5 kg) and 8 lbs. (3.63 kg) cappuccino hoppers. [4]**Java 2 QB:** Choose satellite or airpot. **Finish:** Stainless steel. **Note:** non-lit door **Number Of Warmers:** Java 2 QB-D - 0, Java 2 QB-D1 - 1, Java 2 QB-D2 - 2, Java 2 QB-D3 - 3, Java 2 QB-DC - 0. *contact factory for part number

Digital Soluble Coffee / Cappuccino Dispensers

- Product integrity guaranteed – Individual product hoppers & dispense chambers prevent mixing of different products.

Model JAVACCINO3-IT-3PC

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
JAVA2-IT (080345)	Soluble	Two 2 lbs.[2] (Two 1 kg)	2.2 gal. (8.3L)	42	34" x 9" x 22" (86 cm x 23 cm x 56 cm)	60 lbs. (27 kg)	$ 2,520
JAVACCINO3-IT (080346)	Soluble	One 2 lbs.[2] & Two 5.5 lbs.[3] (One 1 kg & Two 2.5 kg)	3.2 gal. (12.1L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	92 lbs. (42 kg)	$ 3,078
JAVACCINO3-IT-3PC[4] (080347)	Soluble	One 2 lbs.[2] & Two 5.5 lbs.[3] (One 1 kg & Two 2.5 kg)	3.2 gal. (12.1L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	92 lbs. (42 kg)	$ 3,078
JAVACCINO4-IT (080381)	Soluble	Two 2 lbs.[2] & Two 5.5 lbs.[3] (Two 1 kg & Two 2.5 kg)	4.2 gal. (15.8L)	78	34" x 14" x 22" (86 cm x 36 cm x 56 cm)	110 lbs. (50 kg)	$ 3,676

Plumbing: .25" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. [1]**Burst Capacity: Based on 6. oz. cups** [2]**Coffee:** 2 lb. (1 kg) hoppers are equivalent to 5.5 lbs. (2.5 kg) cappuccino hopper. [3]Standard 5.5 lb. (2.5 kg) cappuccino hopper. [4]**Triple Portion Control:** 3PC, dispenses small, medium, & large sizes. **Finish:** Black.

Hot Powdered Beverage Dispensers

Hot Powder Cappuccino, Hot Chocolate, & Specialty Beverage Dispensers

- Large, operator friendly, Clear-View™ hoppers.
- Choice of large, bold, back-lit graphics.
- Direct Drive Hoppers – Self-aligning pin & link hopper drive for durability & easy install.
- Patented safety rib on dispense nozzle & generous cup clearance assures cups don't catch.
- Thermostat adjustable to dispense ambient temperature beverages.

Model PIC33A

Model PIC6 with Island Option

Model	Number of Hoppers & Capacity	Tank Cap.	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
Two & Three Flavor Models						
PIC2 (61001D)	Two 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	81 lbs. (37 kg)	$ 2,092
PIC3 (61005D)	Three 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	83 lbs. (38 kg)	$ 2,326
PIC33A 3 Portions / Head (61052D)	Three 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	83 lbs. (38 kg)	$ 2,560
Four, Five, & Six Flavor Models						
PIC4 Focus Flavor (62700)	One 11.5 lbs. & Three 5.5 lbs. (One 5.2 kg & Three 2.5 kg)	3.5 gal. (13.2L)	32.5" x 16.5" x 22" (83 cm x 42 cm x 57 cm)	38" x 21" x 27" (97 cm x 53 cm x 69 cm)	100 lbs. (46 kg)	$ 3,262
PIC5 (62933)	Five 5 lbs. (Five 2.26 kg)	5 gal. (19L)	34.75" x 20.5" x 24.75" (88 cm x 52 cm x 63 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	125 lbs.[1] (57 kg)	$ 3,588
PIC5 with Island Option (62901)	Five 5 lbs. (Five 2.26 kg)	5 gal. (19L)	34.75" x 20.5" x 24.75" (88 cm x 52 cm x 63 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	125 lbs.[1] (57 kg)	$ 3,800
PIC6 (62895)	Six 5 lbs. (Six 2.26 kg)	5 gal. (19L)	34.75" x 24.25" x 25" (88 cm x 62 cm x 64 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	205 lbs. (93 kg)	$ 4,288
PIC6 with Island Option (63105)	Six 5 lbs. (Six 2.26 kg)	5 gal. (19L)	34.75" x 24.25" x 25" (88 cm x 62 cm x 64 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	205 lbs. (93 kg)	$ 4,500
Accessory for PIC powdered beverage dispensers						
External Water Pump Kit (Part # 63174)	N/A	N/A	N/A	3.5" x 24" x 10.5" (9 cm x 61 cm x 1 cm)	8.5 lbs. (3.8 kg)	$ 328

Plumbing: .25" (6.35 mm) water line required. [1]Does not include weight of pallet.
Electrical: Dispensers - 120V,1650W, 14A; Pump Kit - 120V, 60W, 1A;
PIC-CUL = Canadian models = 120V, 1400W, 12A; PIC-E = Export models = 203V, 50/60HZ 10A (PIC-2 and PIC-3 only)
Options: Additional cost applies.
1) Three portions per head - add "3A" suffix to model number (PIC3 / PIC4). (*minimum order quantities required*)
2) Hot water dispense – add "W" suffix to model number (PIC5).
3) Custom graphics(*minimum order quantities required*).

Hot Powdered Beverage Dispensers

Hot Powder Cappuccino, Hot Chocolate, & Specialty Beverage Dispensers

Series Description

Budget K – For low to medium volume locations using minimal counter space.

Cold Cappuccino – Designed for the unique characteristics of cold cappuccino products.

Compact & Compact Whipper – These moderate volume dispensers, have the smallest footprint available.

Destination – Dispense up to 8 flavors of cappuccino.

Feature Flavor & Whipper – Cecilware's original, high volume dispenser allows you to double up on popular flavors.

IT & Vista IT – Dispensers with the IT2 microprocessor provide operators with total operating control.

Low Profile – Only 28½" in height.

Mini Whipper – Basic hot chocolate dispenser for low volume locations.

Multi-Flavor – These dispensers offer 12 delicious hot beverages in only 14" of counter space.

Panorama & Vista – Sleek, curvy, & attracts attention, these models combine Cecilware's newest contemporary design with the industries leading features. Vista available with 3, 4, and 5 flavors; Panorama with 6 and 8 flavors.

Pour-Over – Designed to fully operate as automatic, pour-over, or with bottled water.

Ski & Ski Whipper– Designed for use in extremely heavy volume locations: Ski Resorts, Sports Bars, Airports, Stadiums, & Casinos.

Space Saver – 2"- 3" narrower than the Feature Flavor dispensers.



Vertical Lift Door

Triple Portion Control

Standard Features Included On All Dispensers*

- **Fast Flow** – Dispenses 30% faster, reducing wear & tear on major components.
- **Vacuum steam removal system VSRS** Ensures the powder remains dry. Eliminates clogging, caking and bridging.
- **Moisture & powder collection tray** Prevents excess moisture & product powder from reaching the vacuum motor.
- **Direct drive auger system** – Ensures perfect hopper alignment & "silent running".
- **Power whip** – Whips the product into a delicious, creamy drink.
- **Self cleaning** – Rinses the entire whipper chamber with hot water at the end of each cycle.
- **Quick change transparency**

* Standard feature set is not available on the Mini Whipper series.

Additional Features Found On Certain Dispensers

contact factory for availability

- **Vertical lift door** – Provides easy access to the inside of the dispenser.
- **FAST Service** – Access major components through the front of the dispenser.
- **Stainless steel drip tray**
- **Easy bulb access** – New style screw-in bulb.
- **Slanted whipper chamber** – Provides optimal mixing of product & keeps it flowing away from the motor seal.
- **Molded fascia** – Attractive design with extra large P.O.S. display.
- **Intelligent Technology 2** – Digital dispensers featuring touch pad control & large, two line LCD display.

Optional Features Available On Certain Dispensers

contact factory for availability

- **Portion control** - Allows an operator to automatically dispense into 1 or 3 predetermined cup sizes.
  - **Note: Single Portion Control:** Add "PC" suffix & $110 to list price for each hopper. Available on all series. For Mini Whipper add "AT" suffix & $120 to list price.
  - **Note: Triple Portion Control:** Add "3PC" suffix. Only available on 3 flavor IT dispensers.
- **SMARTSENSE** – Monitors powder level, alerts operator that hopper needs to be refilled, shuts off dispense mechanism on empty hopper, & re-engages when hopper is refilled.
  - **Note:** Available on all series *except:* IT, Compact/Compact Whipper, & Mini Whipper series. Add $150 list price for each hopper.
- **Hot water dispense button** – For soup or tea.
  - **Note:** Add "W" before "LD" suffix. Available on Space Saver, Feature Flavor, Destination, Panorama, Pour-Over, Ski/Ski Whipper, & Whipper series. Add $120 to list price.
- **Side panel graphics package** – Color graphics attract attention from all sides of the dispenser.
  - **Note:** Available on Vista IT, Vista, Destination, Panorama, add $190 to list price.
- **Electrical** – Export electrical configurations available on some models. Contact Grindmaster-Cecilware for details.

Hot Powdered Beverage Dispensers

Hot Powder Cappuccino & Specialty Beverage Dispensers

- The most comprehensive line of dispensers available – Model choices up to 12 flavors & several different footprints accommodate any hot beverage need.
- Fast Flow – Dispenses 30% faster, reducing wear and tear on major components.
- Direct Drive Auger System.

Model GB1M-LD

Model 3K-GB-LD

Model GB8MP-10-LD-U

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Single Flavor Models							
GB1CP (08003P) **(non-lit door)**	**Compact**	One 8 lbs. (One 3.6 kg)	2 gal. (7.6L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	30 lbs. (14 kg)	$ 1,260
GB1M-LD (080037)	**Space Saver**	One 8 lbs. (One 3.6 kg)	2 gal. (7.6L)	42	31.5" x 8.5" x 22" (80 cm x 22 cm x 56 cm)	65 lbs. (29 kg)	$ 1,428
GB1SKI-LD (080036)	**Ski**	One 14 lbs. (One 6.4 kg)	3.5 gal. (13.2L)	93	37.5" x 8.5" x 22" (95 cm x 22 cm x 56 cm)	85 lbs. (39 kg)	$ 1,964
Two Flavor Models							
GB2CP (08003S) **(non-lit door)**	**Compact**	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	32 lbs. (15 kg)	$ 1,428
GB2LP-LD (080114)	**Low Profile**	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6L)	32	28.5" x 8.5" x 20" (72 cm x 22 cm x 51 cm)	70 lbs. (32 kg)	$ 1,890
2K-GB-LD (080022)	**Budget K**	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6L)	42	31.5" x 8.5" x 20" (80 cm x 22 cm x 51 cm)	70 lbs. (32 kg)	$ 1,996
GB2M5.5-LD (080127)	**Space Saver**	Two 5.5 lbs. (Two 2.5 kg)	2 gal. (7.6L)	42	34" x 8.5" x 22" (86 cm x 22 cm x 56 cm)	86 lbs. (39 kg)	$ 2,206
GB2M5.5-IT-LD (080265)	**IT & Vista IT[2]**						$ 2,310
GB2 SKI-BL-LD (080038)	**Ski**	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2L)	131	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	$ 3,780
Three Flavor Models							
GB3CP (08003W) **(non-lit door)**	**Compact**	Three 4 lbs. (Three 1.8 kg)	2 gal. (7.6L)	38	27" x 10" x 19" (69 cm x 25 cm x 48 cm)	40 lbs. (18 kg)	$ 1,786
GB3LP (08011B) **(non-lit door)**	**Low Profile**	Three 4 lbs. (Three 1.8 kg)	2.75 gal. (10.4L)	58	28.5" x 11" x 20" (72 cm x 28 cm x 51 cm)	75 lbs. (34 kg)	$ 1,996
GB3LP-LD (080115)	**Low Profile**						$ 2,364
3K-GB-NL (08002N) **(non-lit door)**	**Budget K**	Three 4 lbs. (Three 1.8 kg)	2.75 gal. (10.4L)	53	31.5" x 10" x 20" (80 cm x 25 cm x 51 cm)	81 lbs. (37 kg)	$ 2,258
3K-GB-LD (080023)	**Budget K**						$ 2,416
GB3M5.5-LD (080128)	**Space Saver**	Three 5.5 lbs. (Three 2.5 kg)	2.75 gal. (10.4L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	100 lbs. (45 kg)	$ 2,720
GB3M10-LD (080144)	**Feature Flavor**	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	$ 2,888

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Standard 120V, 1.8KW, 15A, line cord Nema plug 5-15R
Optional: 120/240V, 3KW, 15A, or 6KW, 25A • 230V, 18KW, 78A • 230V, 18KW, 45A 3 phase)
Finish: Black [1]**Burst Capacity:** Based on 6 oz. cups. [2]IT2 digital model. [3]IT-A/D-U models feature LCD display with mechanical buttons. U = vertical lift door.

Hot Powdered Beverage Dispensers

Hot Powder Cappuccino, & Specialty Beverage Dispensers (continued)

Model GB1M-LD

Model 3K-GB-LD

Model GB8MP-10-LD-U

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Working Dimensions (H x W x D)	Ship Weight	List Price
Three Flavor Models (continued from previous page)							
GB3M10-IT-LD (080121)	**IT & Vista IT[2] Feature Flavor**	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	$ 2,994
GB3M10-LD-U (080143)	**Feature Flavor**						
GB3M210W-LD-U (080151)	**Feature Flavor**	Two 10 lbs. & One 5 lbs. (Two 4.5 kg & One 2.26 kg)	3.2 gal. (12.1L)	78	34" x 14.75" x 22" (86 cm x 37 cm x 56 cm)	100 lbs. (45 kg)	$ 3,098
GB3P-LD (080078)	**Pour-Over[4]**	Three 5.5 lbs. (Three 2.5 kg)	2.5 gal. (9.5L)	50	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	95 lbs. (43 kg)	$ 2,888
Four Flavor Models							
GB4LP-LD (080119)	**Low Profile**	Four 4 lbs. (Four 1.8 kg)	2.75 gal. (10.4L)	58	28.5" x 14" x 20" (72 cm x 36 cm x 51 cm)	100 lbs. (45 kg)	$ 2,940
4K-GB-NL (non-lit door) (08004N)	**Budget K**	Four 4 lbs. (Four 1.8 kg)	3.75 gal. (14.1L)	78	31.5" x 15.6" x 20" (80 cm x 40 cm x 51 cm)	120 lbs. (54 kg)	$ 2,784
4K-GB-LD (080041)	**Budget K**						$ 2,940
GB4M5.5-LD (080126)	**Space Saver**	Four 5.5 lbs. (Four 2.5 kg)	3.75 gal. (14.1L)	78	34" x 14" x 22" (86 cm x 36 cm x 56 cm)	120 lbs. (54 kg)	$ 3,308
GB4M5.5-LD-U (08012U)	**Space Saver**						$ 3,414
Five Flavor Models							
5K-GB-NL (non-lit door) (08005N)	**Budget K**	Five 4 lbs. (Five 1.8 kg)	3.75 gal. (14.1L)	78	31.5" x 15.6" x 20" (80 cm x 40 cm x 51 cm)	125 lbs. (57 kg)	$ 3,308
5K-GB-LD (080042)	**Budget K**						$ 3,466
GB5M10-LD (080146)	**Feature Flavor**	One 10 lbs. & Four 5 lbs. (One 4.5 kg & Four 2.26 kg)	6 gal. (22.7L)	98	34" x 18" x 22" (86 cm x 46 cm x 56 cm)	130 lbs. (59 kg)	$ 3,990
GB5M210-LD-U (080116)	**Feature Flavor**	Two 10 lbs. & Three 5 lbs. (Two 4.5 kg & Three 2.26 kg)	6 gal. (22.7L)	98	34" x 20" x 22" (86 cm x 51 cm x 56 cm)	140 lbs. (64 kg)	$ 4,200
GB5MV-10-LD (080131)	**Vista**	One 10 lbs. & Four 5.5 lbs. (One 4.5 kg & Four 2.5 kg)	6 gal. (22.7L)	98	35" x 18" x 22" (89 cm x 46 cm x 56 cm)	130 lbs. (59 kg)	$ 4,200
GB5MV-10-IT-LD (080133)	**IT & Vista IT[2]**						$ 4,306

Plumbing: .25" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional. **Finish:** Black. [1]**Burst Capacity:** Based on 6 oz. cups. [2]IT2 digital model. [3]IT-A/D-U models feature LCD display with mechanical buttons. [4]Contains an additional 2 gal. (7.5 L) reservoir.
U = vertical lift door.

Hot Powdered Beverage Dispensers

Hot Powder Cappuccino, & Specialty Beverage Dispensers (continued)

Model GB1M-LD

Model 3K-GB-LD

Model GB8MP-10-LD-U

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Six Flavor Models							
GB6M10LD-R/H (080171)	**Destination**[2]	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 21.5" x 22" (86 cm x 55 cm x 56 cm)	160 lbs. (73 kg)	$ 4,568
GB6M10WLD-R/H (080173)	**Destination**[3]	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 21.5" x 22" (86 cm x 55 cm x 56 cm)	160 lbs. (73 kg)	$ 4,694
GB6M10-LD-U (080152)	**Destination**	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 21.5" x 22" (86 cm x 55 cm x 56 cm)	160 lbs. (73 kg)	$ 4,936
Eight Flavor Models							
GB8M10-LD-U (080156)	**Destination**[4]	One 10 lbs. & Seven 5 lbs. (One 4.5 kg & Seven 2.26 kg)	8 gal. (30.3L)	120	34" x 27" x 22" (86 cm x 69 cm x 56 cm)	180 lbs. (82 kg)	$ 7,246
GB8MP-10-LD-U (080167)	**Panorama**[4]				34" x 28" x 22" (86 cm x 71 cm x 56 cm)		$ 7,456

Plumbing: ¼" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard (Two line cords included with GB8M10-LD-U & GB8MP-10-LD-U). 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. [1]**Burst Capacity:** Based on 6 oz. cups. [2]This model has a right hand side hinge door. [3]This model has a right hand side hinge door & standard hot water dispense. [4]This model requires two water lines & two separate electrical circuit's. U = vertical lift door

Multi-Flavor Hot Powder Beverage Dispensers

- Mixes & creates twelve hot drinks from just five ingredients.
- Dispenser uses highly concentrated flavors.
- Requires only 14" of counter space.

Model GB5MF-IT-LD

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Cappuccino Model							
GB5MF-IT-LD (080139)	**Multi-Flavor**[2]	One 10 lbs. & Four 2 lbs. (One 4.5 kg & Four 1 kg)	3.5 gal. (13.2L)	112	37.5" x 14" x 25" (95 cm x 36 cm x 64 cm)	120 lbs. (54 kg)	$ 4,200
Hot Chocolate Model							
GB5MF-HC-IT-LD (080134)	**Multi-Flavor**[2]	Two 5 lbs. & Three 2 lbs. (Two 2.26 kg & Three 1 kg)	3.5 gal. (13.2L)	112	37.5" x 14" x 25" (95 cm x 36 cm x 64 cm)	120 lbs. (54 kg)	$ 4,200

Plumbing: ¼" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. [1]**Burst Capacity:** Based on 6 oz. cups. [2]IT2 digital model.

High Volume, Rapid Dispense Hot Powder Single Flavor Cappuccino Dispenser

- Rapid dispense rate - up to 2.4 oz. per sec.
- Fills a 1 gal. coffee box in less than 1 min.
- Fills a 3 gal. insulated beverage container in less than 3 min.
- Triple portion control for single cup dispensing.

Model JAVA-HV-LB

Model	Series	Number of Hoppers* & Capacity	Tank Cap.	Dimensions (H x W x D)	Ship Weight	List Price
JAVA3-HV-LB (non-lit door) (080141)	**Feature Flavor**	Two 11.5 lbs. & One 7 lbs. (Two 5.22 kg &One 6.4 kg)	7.5 gal. (28.39L)	38.5" x 18.13" x 22.25" (97.79 cm x 46 cm x 56.52 cm)	155 lbs. (70.31 kg)	$ 5,670

Plumbing: ¼" (6.35 mm) water line required. **Electrical:** 230V, 18KW, 45A, 3ph; 208V, 14.4 KW, 41A, 3Ph *single flavor

Hot Chocolate Dispensers

Powdered Hot Chocolate Dispensers

- Extra high volume models available.

Model GB1HC-CP

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Single Flavor Models							
GB1HC-CP (non-lit door) (08003Q)	**Mini Compact Whipper**	One 8 lbs. (One 3.6 kg)	2 gal. (7.6 L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	30 lbs. (14 kg)	$ 1,260
GB1HC (08003A) **(non-lit door)**	**Whipper**	One 8 lbs. (One 3.6 kg)	2 gal. (7.6 L)	42	31.5" x 8.5" x 22" (80 cm x 22 cm x 56 cm)	65 lbs. (14 kg)	$ 1,428
GB1SKI-HC (non-lit door) (080032)	**Ski Whipper**	One 14 lbs. (One 6.4 kg)	3.5 gal. (13.2 L)	93	37.5" x 8.5" x 22" (95 cm x 22 cm x 56 cm)	85 lbs. (39 kg)	$ 1,964
Two Flavor Models							
GB2HC-CP (non-lit door) (08003T)	**Compact Whipper**	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6 L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	32 lbs. (15 kg)	$ 1,428
GB2SKI-HC (non-lit door) (08003I)	**Ski Whipper**	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2 L)	131	38" x 14" x 23.25" (97 cm x 36 cm x 59 cm)	140 lbs. (64 kg)	$ 3,414
GB2 SKI-BL-LD-HC	**Ski**	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2 L)	131	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	$ 3,780
Three Flavor Models							
GB3HC-CP	**Compact Whipper**	Three 4 lbs. (Three 1.8 kg)	2 gal. (7.6 L)	38	27" x 10" x 19" (69 cm x 25 cm x 48 cm)	40 lbs. (18 kg)	$ 1,786

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Standard 120V, 1.8KW, 15A, line cord Nema plug 5-15R
Optional: 120/240V, 3KW, 15A, or 6KW, 25A • 230V, 18KW, 78A • 230V, 18KW, 45A 3 phase) Export voltage 220 available, add 5% to list price • **Finish:** Black
• **Portion Control:** Add "PC" suffix & $110 to list price (except for 4914 - add "AT" suffix & $120 to list price) [1]**Burst Capacity:** Based on 6 oz. cups.

Liquid Hot Chocolate Dispenser

- Fully automatic liquid hot chocolate dispenser.

Model HC-2

Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
HC-2 (AHC-2)	2.9 gal. (11L)	120V / 1800W / 15A	27" x 9" x 10" (69 cm x 23 cm x 25 cm)	28" x 12" x 28" (71 cm x 30 cm x 71 cm)	50 lbs. (23 kg)	$ 1,764

Dispense Temp.: 185°F/85°C ± 5°. Dispense Flow Rate: 1 fluid ounce / sec. * Material: Plastic. Accommodates all cup sizes and syrups from bags-in box, cans, or product hopper.
Options: **1) AOPT 215* Adapter Cover:** Work Dim: H / W / D: 11" (28 cm), add $110 to list price. **Ship Dim.:** H / W / D: 12" (30 cm), **Ship Wt.:** 2 lbs. (1 kg)
2) AOPT 5 Single Portion Control: add $180 to list price. **3) AOPT 8:** Liquid Product Hopper add $100 to list price.

Delice

- For mixing & dispensing thick chocolate, hot cider, & other hot beverages.

Model CHOCO-1

Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
CHOCO-1 (200650)	1.32 gal. (5L)	120V / 1.8KW / 15A	19.5" x 10.25" x 12.5" (50 cm x 26 cm x 32 cm)	17 lbs. (8 kg)	$ 1,050

Adjustable Thermostat: Up to 190°F / 88°C

Cold Powdered Beverage Dispensers

Ambient Powder Cappuccino & Specialty Beverage Dispensers

- Just add ice!
- Fast Flow – Dispenses 30% faster, reducing wear and tear on major components.
- Direct drive auger system.

Model GB3M5.5-LD-LT

Model GB3M10-IT-LD-C

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Three Flavor Models							
GB3M5.5-LD-LT	**Cold Cappuccino**	Three 5.5 lbs. (Three 2.5 kg)	2.75 gal. (10.4L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	100 lbs. (45 kg)	$ 2,720
GB3M10-IT-LD-C (080120)	**Cold Cappuccino**[2]	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	$ 2,994

Plumbing: .25" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5% to list price. **Finish:** Black. **Triple Portion Control:** Add suffix 3PC, not available on model GB3M5.5-LD-LT. [1]**Burst Capacity:** Based on 6 oz. cups. [2]IT2 digital model. Low temperature ambient thermostat available on additional models, contact Grindmaster-Cecilware™ for more information.

Oatmeal Dispenser

Oatmeal Dispenser

- Compact, Space-Saving Size - satisfy the growing demand for oatmeal in just 11 inches of counter space.
- Easy to fill, dispense and clean
- Direct Drive Auger System ensures perfect hopper alignment and "silent running".

Model GB3 LPO

Model	Description	Hoppers	Water Tank Capacity	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
GB3 LPO (63688)	3-head oatmeal dispenser	Quantity: 3 Capacity: 4 lb (1.8 kg) each	2.75 gallons (10.4 L)	28.5'' x 11'' x 20'' (72 cm x 28 cm x 51 cm)	120 V, 1.8 KW, 15 A	75 lbs. (34 kg)	$ 2,316

Electrical: Line cord included, Nema plug 5-15P.

Automatic Orange Juice Machines

Automatic Orange Juice Machines

- Avoid The Bitter Peel Taste – The exclusive design of the juicer insures that the peel is separated from the pulp & not pressed during the squeezing process.
- Micro Serrated Slicing Blade – Heavy-duty stainless steel blade strong enough to quickly slice through the thickest peel.
- Available Carousel Style Automatic Feeder – Fruit is automatically fed into the machine quickly & efficiently as the feeder rotates.

Model JX15AC

Model JX28AC

Model	Description	Feeder Capacity	Flow Rate / Min	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
Compact Countertop Series - 15 oranges/minute							
JX15MC (095500)	Manual feed	6 Orange	25 oz. - 45 oz. (.7 L - 1.3 L)	33'' x 19.3'' x 17.7'' (84 cm x 49 cm x 45 cm)	120V, 1080W, 9A	111 lbs. (51 kg)	$ 6,720
JX15AC (095510)	Auto feed	13 lbs. (6 kg)	34 oz. - 66 oz. (1 L - 2 L)	36.6'' x 19.3'' x 17.7'' (93 cm x 49 cm x 45 cm)	120V, 1080W, 9A	119 lbs. (54 kg)	$ 8,610
JX15ACS (095515)	Auto feed & self serve faucet	13 lbs. (6 kg)	34 oz. - 66 oz. (1 L - 2 L)	36.6'' x 19.3'' x 19.7'' (93 cm x 49 cm x 50 cm)	120V, 1080W, 9A	120 lbs. (55 kg)	$ 9,450
Standard Countertop Series - 28 oranges/minute							
JX28MC (095525)	Manual feed	6 Fruit	42 oz. - 84 oz. (1.2 L - 2.5 L)	34'' x 28.7'' x 17'' (86 cm x 73 cm x 43 cm)	120V, 1080W, 9A	96 lbs. (44 kg)	$ 8,610
JX28MCB (095535)	VariFruit™ Series with manual feed, can process lemons, limes, pomegranates, & grapefruits.	6 Fruit	42 oz. - 84 oz. (1.2 L - 2.5 L)	34'' x 28.7'' x 17'' (86 cm x 73 cm x 43 cm)	120V, 1080W, 9A	103 lbs. (47 kg)	$ 10,290
JX28AC (095540)	Auto feed	40 lbs. (18 kg)	48 oz. - 96 oz. (1.4 L - 2.8 L)	39'' x 24.4'' x 19.7'' (99 cm x 62 cm x 50 cm)	120V, 1080W, 9A	109 lbs. (49 kg)	$ 10,290
"Super" Floor Model Series - 45 oranges/minute							
JX45AF (095555)	Auto feed, juice reservoir and self-serve faucet	39 lbs. (18 kg)	57 oz. - 114 oz. (1.7L - 3.4L)	71.3" x 23" x 29.5" (181 cm x 58 cm x 75 cm)	120V, 1080W, 9A	184 lbs. (84 kg)	$ 12,980
JX45AFR (095560)	Auto feed, refrigerated juice reservoir and self-serve faucet	39 lbs. (18 kg)	57 oz. - 114 oz. (1.7L - 3.4L)	71.3" x 23" x 29.5" (181 cm x 58 cm x 75 cm)	120V, 1080W, 9A	214 lbs. (97 kg)	$15,180

Electrical: Line cord included, Nema plug 5-15P. **Color:** Orange.
Fruit Diameter: All models except JX28MCB = 2.36" - 3.2" (60 mm - 80 mm). JX28MCB = 3" - 3.8" (75 mm - 80 mm).
Options: Electrical - 230V, .6KW, 2.5A, 50/60Hz export voltage available*.

Crathco® Cold Beverage Dispensers

Crathco® G-Cool™ - Innovative Premix Cold Beverage Dispensers

- Dispense up to 4 flavors; 2.4 & 5 gal. bowls.
- Faster Cleaning - cleans in half the time of a traditional dispenser.
- Patented Tri-Cool™ evaporator with a large 3 sided cooling surface that refrigerates through the bowl.
- 360° Merchandising with choice of fruit, tea or cappuccino graphics.

Model C-1S-16

Model C-3D-16

Model C-4D-16

Model	# of Bowls	Bowl Capacity	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
C-1S-16 Single* (99505)	1	5 (18.9L) gal.	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 16" x 22" (76 cm x 41 cm x 56 cm)	75 lbs. (34 kg)	$ 1,214
C-2D-16 Double** (95510)	2	5 gal. (18.9L) each	26.5" x 22" x 19.5" (68 cm x 56 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	125 lbs. (57 kg)	$ 1,788
C-3D-16 Focus Flavor™ Triple** (99560)	3	One 5 gal. (18.9L) & Two 2.4 gal. (9L)	26.5" x 22" x 19.5" (68 cm x 56 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	130 lbs. (59 kg)	$ 2,174
C-2S-16 Mini-Duo™* (99507)	2	2.4 gal. (9L) each	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 16" x 22" (76 cm x 41 cm x 56 cm)	82 lbs. (37 kg)	$ 1,544
C-4D-16 Mini-Quattro™** (99514)	4	2.4 gal. (9L) each	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	133 lbs. (60 kg)	$ 2,416
Electrical: * 120V, 450W, 4A ** 120V, 980W, 9A **Refrigerant:** R134A						

Crathco® G-Cool™ Accessories

Part #	Description	List Price
9913	Milkfat Impeller	$ 16
99453	Single cradle 4" (100 mm) leg kit (Optional on single units, standard on double cradle units)	$ 128

Crathco® Cold Beverage Dispensers

Crathco® Classic Bubblers™ Premix Cold Beverage Dispensers

- A two piece, stainless steel dispense system that cools to the dispense point.
- MCX Mag Drive™ impeller.
- Easy clean stainless evaporator surface.
- Fewer parts for fast, easy clean-up.
- Includes spray and agitate circulation options.

Model D25-4

Model D35-4

Model E49-4

Model	# of Bowls	Electrical***	Dimensions (H x W x D)	Ship Dimensions (H x W x D) (2 boxes)	Ship Weight	List Price
Standard Series with 5 Gallon (18.9L) Bowl						
D15-3* Base: (5619); Bowl: (5111)	1	120V / 340W / 3A	27.25" x 10.125" x 15.875" (69 cm x 26 cm x 40 cm)	**Base:** 15.5" x 13.5" x 13.5" (39 cm x 34 cm x 34 cm) **Bowl:** 8.5" x 14" x 15.5" (22 cm x 36 cm x 39 cm)	Total: 46 lb. (20.4 kg) **Base:** 37 lb. (16.8 kg) **Bowl:** 9 lb. (4 kg)	$ 1,158
D15-4** Base: (5620); Bowl: (5121)	1					$ 1,104
D25-3* Base: (5507); Bowl: (5112)	2	120V / 660W / 6A	27.25" x 17.5" x 15" (69 cm x 44 cm x 38 cm)	**Base:** 16.25" x 20.75" x 13.5" (41 cm x 53 cm x 34 cm) **Bowl:** 22.5" x 15.5" x 8.5" (57 cm x 39 cm x 22 cm)	Total: 77 lb. (35 kg) **Base:** 60 lb. (27 kg) **Bowl:** 17 lb. (8 kg)	$ 1,598
D25-4** Base: (5508); Bowl: (5122)	2					$ 1,484
D35-3* Base: (5511); Bowl: (5113)	3	120V / 1020W / 9A	27.25" x 25.63" x 15.875" (69 cm x 65 cm x 40 cm)	**Base:** 16" x 29.5" x 13.5" (41 cm x 75 cm x 33 cm) **Bowl:** 28.5" x 15.5" x 8.5" (73 cm x 39 cm x 21 cm)	Total: 95 lb. (43 kg) **Base:** 71 lb. (32.2 kg) **Bowl:** 24 lb. (10.8 kg)	$ 2,072
D35-4** Base: (5512); Bowl: (5123)	3					$ 1,934
Mini-Bowl Series with 2.4 Gallon (9L) Bowl						
E29-3* Base: (5584); Bowl: (5114)	Mini-Twin™ 2	120V / 400W / 4A	25.5" x 11.25" x 15.5" (65 cm x 29 cm x 40 cm)	**Base:** 16" x 14.5" x 13.5" (41 cm x 37 cm x 34 cm) **Bowl:** 16" x 16" x 9.5" (41 cm x 41 cm x 24 cm)	Total: 56 lb. (25.4 kg) **Base:** 45 lb. (20.4 kg) **Bowl:** 11 lb. (5 kg)	$ 1,472
E29-4** Base: (5583); Bowl: (5124)	Mini-Twin™ 2					$ 1,368
E49-3* Base: (5538); Bowl: (5115)	Mini-Quad™ 4	120V / 720W / 6A	25.5" x 20.5" x 15" (65 cm x 52 cm x 38 cm)	**Base:** 16" x 23.5" x 13.5" (41 cm x 60 cm x 34 cm) **Bowl:** 19" x 20" x 9.5" (48 cm x 51 cm x 24 cm)	Total: 91 lb. (41.2 kg) **Base:** 67 lb. (30.4 kg) **Bowl:** 24 lb. (10.8 kg)	$ 2,302
E49-4* Base: (5542); Bowl: (5125)	Mini-Quad™ 4					$ 2,178

*(-3) = Stainless steel side panels and drip tray. **(-4) = Plastic side panels and drip tray. Refrigerant: 134A.

Crathco® Refrigerated Premix Dispensers/Bubblers™ Options & Accessories*

Part #	Description	List Price
1161M	Large (blue) Milkfat Impeller	$ 38
1008M	Small (red) Milkfat Impeller	$ 38
3587	Standard MCX Mag Drive™ Impeller (black)	$ 28
3709	MCX Mag Drive™ Low Foam Impeller	$ 28
2484	Non Contact Handle (Standard)	$ 28
2266	Cup Activated Handle	$ 28
2543	3" Legs (7.5 cm) set of 4	$ 66
3657	Condensation Cover - "D" Models	$ 26
3666	Condensation Cover - "E" Models	$ 26
2039	Valve Cap	$ 70
*Option prices in addition to base price		

Part #	Description	List Price
2502	Valve Locking Box (use w/cup activated handle)	$ 64
5351	Security Kit - Use w/E29	$ 152
5353	Security Kit - Use w/E49	$ 212
2509	Security Kit - Use w/D15	$ 154
2510	Security Kit - Use w/D25	$ 212
2511	Security Kit - Use w/D35	$ 308
90295	Liquid Autofill Control Box - Use w/D15, D25, D35, D112 (not for use with RO water systems)	$ 616
90380	Pre-drilled holes for autofill on new premix machine (drilling charge per bowl)	$ 38
5925	Shipboard Kit - Use w/D15, D25, D35	$ 114
*Option prices in addition to base price		

Cold Beverage Dispensers

Arctic™ Series
Premix Cold Beverage Dispensers

- Dispense iced tea, iced cappuccino & fruit juice containing particulates.
- Performs fast, or gentle agitation to reduce foaming of product.
- Dispense up to 4 flavors.
- Stainless steel dispensing valves.

Model 20/2PD

Model 20/3PE

Model 8/4

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Arctic Deluxe Series - Classic bubbler style dispenser with magnetic driven agitators, can be set for fast or gentle agitation, removable sides.						
20/1PD (200780)	1	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 7" x 18.5" (67 cm x 18 cm x 47 cm)	55 lbs. (25 kg)	$ 1,364
20/2PD (200782)	2	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 14.5" x 18.5" (67 cm x 37 cm x 47 cm)	80 lbs. (36 kg)	$ 2,036
20/3PD (200784)	3	5.4 gal. (20.4L)	120V / 1.4KW / 12A	26.5" x 21.25" x 18.5" (67 cm x 54 cm x 47 cm)	102 lbs. (46 kg)	$ 2,488
20/4PD (200786)	4	5.4 gal. (20.4L)	120V / 2KW / 16A	26.5" x 28.5" x 18.5" (67 cm x 72 cm x 47 cm)	130 lbs. (59 kg)	$ 3,008
Electrical: Line cord included. **Body Construction:** Stainless steel. **Optional Bowl Size:** 3.17 gal. bowl(s) also available, contact Grindmaster-Cecilware™ for more details.						

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Arctic Economy Series - Classic bubbler style dispenser with magnetic driven agitators, can be set for fast or gentle agitation, unibody construction.						
20/1PE (200770)	1	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 7" x 18.5" (67 cm x 18 cm x 47 cm)	55 lbs. (25 kg)	$ 1,202
20/2PE (200772)	2	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 14.5" x 18.5" (67 cm x 37 cm x 47 cm)	80 lbs. (36 kg)	$ 1,786
20/3PE (200774)	3	5.4 gal. (20.4L)	120V / 1.4KW / 12A	26.5" x 21.25" x 18.5" (67 cm x 54 cm x 47 cm)	102 lbs. (46 kg)	$ 2,200
20/4PE (200776)	4	5.4 gal. (20.4L)	120V / 2KW / 16A	26.5" x 28.5" x 18.5" (67 cm x 72 cm x 47 cm)	130 lbs. (59 kg)	$ 2,650
Electrical: Line cord included. **Body Construction:** Stainless steel. **Optional Bowl Size:** 3.17 gal. bowl(s) also available, contact Grindmaster-Cecilware™ for more details.						

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Compact "Slow" Agitation Series - Magnetic driven agitator - Very slow product agitation, reduces foaming, unibody construction.						
8/1 (200750)	1	2.2 gal. (8.3L)	120V / 0.6KW / 5A	24.75" x 9" x 15.75" (63 cm x 23 cm x 40 cm)	33 lbs. (15 kg)	$ 954
8/2 (200752)	2	2.2 gal. (8.3L)	120V / 0.6KW / 5A	24.75" x 12" x 15.75" (63 cm x 30 cm x 40 cm)	42 lbs. (19 kg)	$ 1,462
8/3 (200754)	3	2.2 gal. (8.3L)	120V / 1.4KW / 12A	24.75" x 16.25" x 15.75" (63 cm x 41 cm x 40 cm)	51 lbs. (23 kg)	$ 1,688
8/4 (200756)	4	2.2 gal. (8.3L)	120V / 2KW / 16A	24.75" x 21.25" x 15.75" (63 cm x 54 cm x 40 cm)	58 lbs. (27 kg)	$ 2,200
Electrical: Line cord included. **Body Construction:** Stainless steel.						

Iced Tea Brewers and Dispensers

"TB" Series Iced Tea Brewers & Dispensers

- Low Temperature Lockout System - Will not brew until the water has reached the proper temperature.
- Brew timer adjustment - Controls the brewing time.

Model TB3

Model B1/3

Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
TB3 Brewer with B1/3T (069363)	3 gal. (11L)	120V / 1.8KW / 15A	29.5" x 9.25" x 22.63" (75 cm x 24 cm x 58 cm)	43 lbs. (19.5 kg)	$ 1,208
TB5 Brewer with B1/5T (069365)	5 gal. (19L)	120V / 1.8KW / 15A	29.5" x 12" x 25.63" (75 cm x 65 cm x 65 cm)	50 lbs. (23 kg)	$ 1,366
TB3P Pour-Over Brewer with B1/3T (069367)	3 gal. (11L)	120V / 1.8KW / 15A	29.5" x 9.75" x 22.63" (75 cm x 25 cm x 58 cm)	43 lbs. (19.5 kg)	$ 987
B1/3 Dispenser & Base (069370)	3 gal. (11L)	n/a	20" x 9.5" x 13.75" (51 cm x 24 cm x 35 cm)	11 lbs. (5 kg)	$ 210
B1/5 Dispenser & Base (069375)	5 gal. (19L)	n/a	20" x 12.5" x 16.75" (51 cm x 32 cm x 43 cm)	18 lbs. (8 kg)	$ 278
B1/3T Dispenser (069380)	3 gal. (11L)	n/a	11" x 9.5" x 9.5" (28 cm x 24 cm x 24 cm)	6 lbs. (3 kg)	$ 186
B1/5T Dispenser (069383)	5 gal. (19L)	n/a	11" x 12.5" x 12.5" (28 cm x 32 cm x 32 cm)	11 lbs. (5 kg)	$ 180
SU3P Dispenser & Base (069480)	3 gal. (11L)	n/a	18.75" x 9.25" x 9.25" (48 cm x 24 cm x 24 cm)	9 lbs. (4 kg)	$ 242
TB Series Accessories					
NR28A - Graphic wrap for 3 gallon dispenser					$ 32
NR36A - Graphic wrap for 5 gallon dispenser					$ 42

Plumbing: .25" (6.35 mm) water line required, except TB3P. **Electrical:** Line cord included, NEMA plug 5-15P. **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel, add $80 to list price for stainless steel brew funnel. **Filters:** For plastic brew funnel, order #412 filters, stainless steel brew funnel order #514 filter.

FTC Series Iced Tea Brewers & Dispensers

- Fresh brewed iced tea with real tea leaves or flow through filter packs.
- Pour-over model available.

Model FTC3P with S3C

Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FTC3 with S3C Dispenser (069400)	3 gal. (11L)	120V / 1.8KW / 15A	28.5" x 10.25" x 21.5" (72 cm x 26 cm x 55 cm)	44 lbs. (20 kg)	$ 1,020
FTC5 with S5C Dispenser (069455)	5 gal. (19L)	120V / 1.8KW / 15A	34.5" x 11" x 21.5" (88 cm x 28 cm x 55 cm)	57 lbs. (26 kg)	$ 1,208
FTC3P- Pour-Over with S3C Dispenser (069410)	3 gal. (11L)	120V / 1.8KW / 15A	28.75" x 9" x 20.25" (73 cm x 23 cm x 51 cm)	40 lbs. (18 kg)	$ 946

items discontinued

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Line cord included, NEMA plug 5-15P. **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel, add $80 to list price for stainless steel brew funnel. **Filters:** For plastic brew funnel, order #412 filters, stainless steel brew funnel order #514 filter.

Brewed & Liquid Iced Tea Dispensers

"S" Series Stainless Steel Iced Tea Dispensers

- Easy to clean iced tea dispensers.
- No-drip faucet design.

Model S3

Model S5

Model S10

Model	Capacity	Dimensions H x Diameter	Ship Weight	List Price
S2 (442000)	2 gal. (7.6L)	15" x 9.25" (38 cm x 23.5 cm)	8 lbs. (3.6 kg)	$ 144
S3 (443000)	3 gal. (11L)	18.75" x 9.25" (48 cm x 23.5 cm)	9 lbs. (4 kg)	$ 150
S3.5 (069433)	3.5 gal. (13L)	22.75" x 9.25" (58 cm x 23.5 cm)	10 lbs. (4.5 kg)	$ 160
S5 (445000)	5 gal. (19L)	24.75" x 9.25" (63 cm x 23.5 cm)	11 lbs. (5 kg)	$ 176
S10 (4465000)	10 gal. (38L)	26.5" x 11.75" (67 cm x 30 cm)	18 lbs. (8 kg)	$ 298

Options: Curved handles, add "C" suffix to model # - No additional charge. Sight Glass: Add "SG" suffix to model # - add $30 to list price to all models, except S10 add $60
7" faucet clearance is standard on S10

"T1W" Series Plastic Iced Tea Dispenser

- Light weight, durable plastic.
- Product visibility.

Model T1W

Model	Capacity	Dimensions (H x W x D)	Ship Weight	List Price
T1W (080310)	3 gal. (11L)	16" x 12.5" x 9" (41 cm x 32 cm x 23 cm)	7 lbs. (3 kg)	$ 78

Liquid Tea Concentrate Dispensers

- Accepts jugs or bag-in-box product* - Remote bag-in-box can be placed up to 6 feet away.
- Mixes water to concentrate using industry standard ratios.**

Model TT2

Model TT4

Model	Description	# of Taps	Capacity	Dimensions (H x W x D)	Ship Weight	List Price
TT1 (446610)	One flavor tea dispenser	1	Four .5 gal. Jugs* (Four 2L Jugs*)	24.5" x 10" x 18.38" (62 cm x 25 cm x 47 cm)	22 lbs. (10 kg)	$ 526
TT2 (446620)	Two flavor tea dispenser	2	Four .5 gal. Jugs* (Four 2L Jugs*)	24.5" x 10" x 18.38" (62 cm x 25 cm x 47 cm)	24 lbs. (11 kg)	$ 778
TT3 (446630)	Three flavor tea dispenser	3	Six .5 gal. Jugs* (Six 2L Jugs*)	24.5" x 18" x 15.5" (62 cm x 46 cm x 39 cm)	28 lbs. (13 kg)	$ 1,156
TT4 (446640)	Four flavor tea dispenser	4	Six .5 gal. Jugs* (Six 2L Jugs*)	24.5" x 18" x 15.5" (62 cm x 46 cm x 39 cm)	30 lbs. (14 kg)	$ 1,524
TT6 (446660)	Six flavor tea dispenser	6	Six .5 gal. Jugs* (Six 2L Jugs*)	24.5" x 18" x 15.5" (62 cm x 46 cm x 39 cm)	32 lbs. (15 kg)	$ 2,216

Plumbing: .25" (6.35 mm) 30 psi water line required. **Faucet Clearance:** 7.75" all models. **Options:** Full color label standard, full graphic wrap available at additional charge please contact Grindmaster-Cecilware™ for more information. *Can be adapted to remote Bag-In-Box, inquire at factory.
**5:1 standard, will handle up to 11:1 depending on product. Other ratios are available, inquire at factory.

Granita Beverage Dispensers

NHT - FrigoGranita® Dispensers

- Suction Cup Compression Seal System - Acts as a barrier between the granita product and vital gear motors.
- Dual surface freezing chamber - Freezes product quickly and efficiently.
- Standard adjustable slush and cool beverage mode.
- 24 hour programmable defrost timer.

Model NHT3ULBL

Model NHT2UL



Rear View of The Dispenser

300 Series Stainless Steel
Non Magnetic Auger Shaft
Will Not Rust!

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions (H x W x D)	Ship Weight	List Price
NHT2UL (200702)	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 3,570
NHT2ULBL (200706)	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 3,570
NHV2UL (200724)	Stainless Steel	2	2.5 gal. (9.5L)	(2) .5 hp	35.75" x 14.25" x 18.5" (91 cm x 36 cm x 47 cm)	148 lbs. (67 kg)	$ 5,094
NHT3UL (200703)	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	$ 5,094
NHT3ULBL (200707)	Black	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	$ 5,094

Electrical: Line cord included, NHT2 = 120V, 1.7KW, 15A, NHT3/NHV2UL = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray lids & gray drip trays.
Note: This series has reversible lids with single sided lighted graphics.

NHT & MT FrigoGranita® Frozen Drink Dispenser Accessories

Ice Breaker Lids*

Breaks up ice that can form at the top of the granita bowl

Part #	Description	List Price
00557	Complete Black Lid with Ice Breaker	$ 190
00581	Complete White Lid with Ice Breaker	$ 190
00582	Complete Gray Lid with Ice Breaker	$ 190

*NHT & MT Standard series only.

Granita Beverage Dispensers

MT - FrigoGranita® Dispensers

- Auger fits securely over the outside of the Magnetic Drive System, turning via a series of magnets.
- The auger motor turns magnetically eliminating front or rear seals.
- Eliminates damage to the auger motor if product freeze-up occurs.
- 24 hour programmable defrost timer.



Cut-Away View

Model MT2ULBL

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions (H x W x D)	Ship Weight	List Price
MT Mini Series							
MT1MINI (200401)	Stainless Steel	1	1.5 gal. (5.7L)	.125 hp	25.63" x 7" x 18.5" (65 cm x 18 cm x 47 cm)	58 lbs. (26 kg)	$ 2,678
MT2MINI (200402)	Stainless Steel	2	1.5 gal. (5.7L)	.33 hp	25.63" x 14.25" x 18.5" (65 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 3,414
MT3MINI (200403)	Stainless Steel	3	1.5 gal. (5.7L)	.5 hp	25.63" x 21.25" x 18.5" (65 cm x 54 cm x 47 cm)	119 lbs. (54 kg)	$ 4,726
Electrical: Line cord included, MT1Mini = 120V, 460W, 4A, MT2Mini = 120V, 1KW, 9A, MT3Mini = 120V, 1.5KW, 13A. **Note:** This series has reversible lid(s) with 360° wrap-around non-lit graphics. For available accessories see previous page.							
MT Standard Series - Manual Fill Models							
MT1PUL (200504)	Stainless Steel	1	2.5 gal. (9.5L)	.25 hp	27.75" x 11.5" x 18.5" (70 cm x 29 cm x 47 cm)	67 lbs. (30 kg)	$ 3,360
MT1PULBL (200501)	Black	1	2.5 gal. (9.5L)	.25 hp	27.75" x 11.5" x 18.5" (70 cm x 29 cm x 47 cm)	67 lbs. (30 kg)	$ 3,360
MT2UL (200502)	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 4,536
MT2ULBL (200542)	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 4,536
MT3UL (200503)	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	$ 6,374
MT3ULBL (200543)	Black	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	$ 6,374
MT Standard Series - Auto Fill Ready For Liquid Bag-In-The-Box Apparatus							
MT2ULAF (200512)	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	97 lbs. (44 kg)	$ 5,514
MT2ULAFBL (200544)	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	97 lbs. (44 kg)	$ 5,514
MV2ULAF (200521)	Stainless Steel	2	2.5 gal. (9.5L)	(2) .5 hp	35.75" x 14.25" x 18.5" (91 cm x 36 cm x 47 cm)	148 lbs. (67 kg)	$ 6,300
MT3ULAF (200545)	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	127 lbs. (58 kg)	$ 7,980
Electrical: Line cord included, MT1P & MT2 = 120V, 1.7KW, 15A, MT3 & MV2 = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray tops & gray drip trays. **Note:** This series has reversible lid(s) with single sided lighted graphics. For available accessories see previous page.							
MT Giant Series							
GIANT2 (200725)	Stainless Steel	2	4 gal. (15.1L)	(2) .5 hp	35.5" x 18" x 20.5" (90 cm x 46 cm x 52 cm)	147 lbs. (67 kg)	$ 4,936
GIANT2BL (200730)	Black	2	4 gal. (15.1L)	(2) .5 hp	35.5" x 18" x 20.5" (90 cm x 46 cm x 52 cm)	147 lbs. (67 kg)	$ 4,936
Electrical: Line cord included, GIANT2 = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray tops & gray drip trays. **Note:** This series has locking reversible lids with 360° wrap-around lighted graphics. For available accessories see previous page.							

Crathco® Barrel Freezers

Barrel Freezers

- Product reservoir continually replenishes frozen product in barrel. Mix low light alerts user when to refill reservoir.
- Versatile - Serve frozen smoothies, shakes, frozen cappuccino/granita latte, frozen cocktails, granita, frozen fruit juices or slush.
- Patented FlavorLight™ illuminates the frozen product - your choice of eye catching back-lit signs draw customers and increase sales.

Model 3311

Model 5512

Model	# of Barrels	Capacity	Com-pres.	Drive Motor	Electrical	Dimensions	Ship Dimensions (H x W x D)	Ship Wt.	List Price
3000 Series Mechanical Control Frozen Beverage Dispensers									
3311 (CFB3311-A)	1	5-7 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	.75 hp air cooled	.5 hp	120V / 1392W / 11.6A***	28.5" x 13" x 29" (72 cm x 33 cm x 74 cm)	30.5" x 20.5" x 36.5" (77cm x 52cm x 93cm)	195 lbs. (88 kg)	$ 7,076
3511 (CFB3511-C)	1	8-10 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	1 hp air cooled	.5 hp	220V / 60Hz / 10.5A	26.5" x 13" x 29" (67 cm x 33 cm x 74 cm)	30" x 19" x 38" (76 cm x 43 cm x 97 cm)	195 lbs. (88 kg)	$ 7,314
3312 (CFB3312-A)	2	5-7 gal./hour) Frozen: 1.5 gal. (5.6L) Storage: 2.25 gal. (8.5L) Total: 3.75 gal. (14.1L)	.75 hp air cooled	(2) .25 hp	120V / 1896W / 15.8A	29.75" x 18.5" x 29" (76 cm x 47 cm x 74 cm)	33" x 24" x 37" (84 cm x 61 cm x 94 cm)	280 lbs. (127 kg)	$ 9,358
5000 Series Electronic Control Frozen Beverage Dispensers									
5311 (CFB5311-D)	1	5-7 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	.75 hp air cooled	.25 hp	120V / 1920W / 16A Required Circuit: 120V 20A NEMA#5-20R	28.5" x 13" x 26.5" (72 cm x 33 cm x 74 cm) (incl. pad)	33.5" x 20.5" x 37" (85 cm x 52 cm x 94 cm)	192 lbs. (86 kg)	$ 7,586
5512 (CFB5512-A)	2	8-10 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 2.25 gal. (8.5L) Total: 3.75 gal. (14.1L)	1 hp air cooled	(2) .25 hp	208/230V / 2645W / 11.5A; Req. Circuit: 208/230V 20A NEMA# 6-20R	27" x 18.75" x 29" (69 cm x 48 cm x 74 cm) (incl. pad)	35.5" x 22.5" x 31.25" (90 cm x 57 cm x 79 cm)	304 lbs. (137 kg)	$ 14,482
5711 (CFB5711-B)	1	15-20 gallons / hour Frozen: 1.5 gal. (5.6L), Storage: 5.0 gal. (19L), Total: 6.5 gal. (24.6L)	1.5 hp	.5 hp	208/230V / 60Hz / 1Ph	29.75" x 24" x 29" (76 cm x 61 cm x 74 cm)	34" x 23" x 32" (86 cm x 58 cm x 81 cm)	260 lbs. (118 kg)	$ 8,792
Remote Condensing Frozen Beverage Dispensers									
3341 (CFB3341-D)	1	Up to 30 gallons / hour* Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	2.5 hp**	.5 hp	120V / 60Hz / 1 Ph / 816W / 6.8A	26.5" x 13" x 29" (67 cm x 33 cm x 74 cm)	30" x 19" x 38" (76 cm x 43 cm x 97 cm)	140 lbs. (64 kg)	$ 6,708

***Match condensing unit's size to output needs - up to 30 gallons of frozen products per hour.**
**Works with remote condensing units up to 2.5 hp per freezing cylinder.
*** 230V / 50Hz / 7.5A available (add -E to model number)

Crathco® Barrel Freezers

Crathco® Barrel Freezers Start and Adjust for Counter Models

Model	Features	List Price
	Available for all counter units except remote condensing or pressurized models. The install, start and adjust program includes limited installation, equipment inspection, equipment start-up and operator training by a single person in locations 35 miles or less from a Grindmaster-Cecilware™ Authorized Service Center. When installation is purchased with a machine, the unit will be shipped to the installer. The customer must provide the following for installation: 1. Appropriate electric service within 4 feet of the machine's location for electric hook-up including appropriate heavy duty grounded receptacle with its own breaker. 2. Access to cold water with minimum of 30 psi pressure with adequate shut-off valve within 6 feet of the machine's location on units requiring water line hook-up. 3. Adequate drain availability for flexible drain hose on units requiring water line hook-up. 4. Adequate and appropriate space to position unit.	
W0910001	Start and Adjust, Single Barrel	$ 858*
W0910002	Start and Adjust, Twin Barrel	$ 1,224*

*Additional charges (i.e. removal of old equipment, work required to reach compliance with installation requirements above, travel time outside stated radius, or other expenses outside a normal installation situation) are the responsibility of the customer. Contact the factory for special Start and Adjust pricing for 2 or more units in the same location.

Crathco® Barrel Freezer Accessories

Model	Features	List Price
W0890130	Base Cart - Single	$ 2,370
W0890131	Base Cart - Twin	$ 2,938
W0890208	Concealed Filter Kit - Black	$ 224
W0890200	Concealed Filter Kit S.S.	$ 284
W0890206	Exposed Filter Kit	$ 112
W0890220	Legs (4)	$ 62

Model	Features	List Price
W0890224	Parts Tray Kit - Scraper Dasher	$ 180
W0890219	Parts Tray Kit - Standard	$ 180
W0470051	Refractometer	$ 192
W0890053	Spinner Kit - 110V	$ 700
W0890124	Spinner Kit - 220V	$ 804
W0890246	Spinner Kit - 220V for 5512	$ 804

Grindmaster-Cecilware™ 2012 Tradeshows

Refer to www.gmcw.com for up to date information.

United States

SCAA Show
Specialty Coffee Association of America
April 20 - 22
Oregon Convention Center,
Portland, OR

NRA Show
National Restaurant Association
May 5 - 8
McCormick Place,
Chicago, IL

NACS Show
National Association of Convenience Stores
October 8 - 10
Las Vegas Convention Center,
Las Vegas, NV

International

FHA Show
Food & Hotel Asia
April 17-20
Singapore Expo,
Singapore

Warranty

Grindmaster-Cecilware Corporation™
Beverage Equipment Warranty for USA

Effective September 1, 2012

New machines that have been manufactured by or for GMCW (Grindmaster-Cecilware Corporation™) and all parts thereof are conditionally* warranted to the original user by GMCW to be free from defects in material and workmanship (existing at the time of manufacture and appearing during the stated warranty period) under normal use and service as follows:

All Equipment unless specified otherwise below: 1 year parts and 1 year labor

Crathco® Barrel Style Freezers
1 year parts
1 year labor
5 years compressor parts

G-Cool/Crathco® Classic Premix Dispensers
1 year parts
1 year labor
5 years compressor parts

Arctic Series (Ugolini) Cold Beverage Dispensers
1 year parts
90 days labor

Powdered Beverage Dispensers
2 years parts
1 year labor

Micro-Controller based boards (except Granita and Crathco® Barrel Style Freezers and PIC)
3 years parts
1 year labor

All Grinding Burrs on coffee grinding equipment manufactured by GMCW (does not include espresso grinders)
4 years parts (or 30,000 lbs. of coffee - whichever comes first)
1 year labor

AVS/VS Vacuum Shuttles®, Classic CS-1 Shuttle®, and CW-1 Warmer
1 year parts

PrecisionBrew™ Coffee Brewers and Space Saver Urns
2 years parts
2 years labor

Urn Body and Liners
3 years part

PrecisionBrew™ Pod Brewers
Model OPOD: 1 year replacement
Model GPOD: 1 year replacement

GMCW Accessories (does not include glass decanters and Airpots)
90 days parts only

During these warranty periods, GMCW will at its option (and after inspection), repair or replace a defective unit with no charge for parts or bench labor during the applicable parts or labor warranty period, respectively. GMCW's obligation under these warranty periods shall be limited to repairing or replacing any part of said dispenser (excluding plastic parts, rubber parts, light bulbs or normal wear items), which proves defective within the warranty period. These warranty periods run from the date of installation (proof of installation date required) if within 9 months of ship date, or if no proof of installation is provided the warranty start date is the original ship date of the equipment. Travel is covered up to 50 miles or 1 hour, whichever comes first. Labor does not include the cost of shipping to or from the service station or factory.

*This warranty is subject to the following conditions, terms and exclusions (for a detailed list see Warranty Explanation):

- Warranty does not apply to machines or any part thereof which have been subject to any accident, abuse, misuse, neglect, alteration, use on in correct voltage, improper ventilation, damage caused in transit, improper installation or operation, improper maintenance or repair, normal wear items, plastic or rubber parts, poor water conditions, machine adjustments, temporary non-functioning conditions, fire, flood or acts of God;
- Warranty is in lieu of all other warranties expressed or implied. In no event shall GMCW be liable for consequential or incidental damages.
- The model and serial number of the unit (shown on the serial plate) shall be supplied to the service station or factory along with the defective parts of the unit.
- Upon request by GMCW, some warranty parts, (including but not limited to: motors, compressors, micro-controlled based boards, gear motors, and burrs) shall be shipped prepaid to the Grindmaster-Cecilware™ Factory Service Center designated in the RGA confirmation. Upon receipt, GMCW will inspect parts to verify warranty claim is valid. Replacement parts will be billed out when shipped, and then credited on return of a part that is proven to be a valid warranty claim upon inspection by GMCW. Warranty labor will not be paid until warranty claim parts are received and validated by GMCW.
- The buyer shall give prompt notice to GMCW, and must obtain prior authorization from GMCW, for any claim to be made under said warranty via telephone at (800-695-4500) or writing to P.O. Box 35020, Louisville, KY 40232-5020.
- Upon request by GMCW, the defective equipment shall be shipped prepaid to the GMCW Factory Service Center designated in the RGA confirmation, or, if requested by GMCW, to an authorized GMCW service location.
- **No field (including travel), outside or service station work is covered by this warranty without prior authorization by the GMCW Service Department.**

The dealers, distributors, employees and agents of GMCW are not authorized to modify this warranty or to add warranties that are binding to GMCW. Neither written nor oral statements by such individuals establish warranties and thus should not be relied upon. This will establish your warranty rights. The purchaser's redress against GMCW for the breach of any obligation arising from the sale of this equipment, whether derived from warranty or elsewhere, shall be limited to repair, replacement or refund at GMCW™ discretion.

Terms & Conditions

IMPORTANT INFORMATION WHEN ORDERING PRODUCTS

Credit Terms:

- Net 30 days from date of invoice with approved credit application. 1% discount for payment in 10 days. Credit applications for open account normally take 10 working days for approval unless rated by Dun and Bradstreet as high or good.
- We welcome MasterCard®, Visa®, and American Express®.
- Customers without open accounts are required to send payment in advance or pay by credit card. A cashier's check or money order can be accepted. No C.O.D. orders.
- Minimum order is $40 list price.
- No goods can be returned for credit without our prior written consent and may be subject to a 15% re-stocking charge.

Freight:

- All equipment orders of $8,000 list or more to a single destination in the contiguous U.S. are freight prepaid (ground shipping only) by Grindmaster-Cecilware Corporation™.

- Prices subject to change.
- Product specifications are subject to improvement or change.
- Supersedes all previous price lists.

Sales Representatives

Contact Us

Customer Service
place an order • check product availability and price• obtain freight and tracking information • request literature • inquire about parts
Phone: 502.425.4776 or Toll Free: 1-800-695-4500 (US & Canada) Email: csmailbox@gmcw.com

Technical Service
warranty information • equipment troubleshooting • schedule service calls • RA inquiries • part number inquiries
Phone: 502.425.4776 or Toll Free: 1-800-695-4500 (US & Canada) Email: tsmailbox@gmcw.com

Inside Sales Support
quotes • bids • special order inquiries
Scott Laird - Phone: 502.425.4776 ext. 2137 or Toll Free: 1-800-695-4500 ext. 2137 (US & Canada) Email: slaird@gmcw.com

Field Service Programs
technical service programs • field training
Terry Haywood - Phone: 502.425.4776 ext. 2167 or Toll Free: 1-800-695-4500 ext. 2167 (US & Canada) Email: thaywood@gmcw.com

Domestic Beverage Equipment Sales Team

Midwest & Northeast Territory

Keith Enscoe, VP Domestic Sales
Ph: (502) 905-8263 Email: kenscoe@gmcw.com

Ohio, Michigan, Indiana, Kentucky
Bryan Johnson
Ph: (513) 460-4594
bjohnson@gmcw.com

Iowa *(Foodservice only)*, **Missouri**
A.R.I. Group
Ph: (636) 537-8550
dspener@aol.com

Minnesota, N. Wisconsin, N. Dakota, S. Dakota, Iowa Nebraska, Kansas
Star Belmont, LLC
Ph: (763) 475-4581
alucia@gmcw.com

Illinois, S. Wisconsin
Paul Wojcik & Assoc.
Ph: (708) 579-5567
pwafood@ameritech.net

Mid-Atlantic Region
(Dealers & Consultants only)
Michael Belardo
Ph: (917) 273-7579
mbelardo@gmcw.com

New York, New Jersey
(Dealers & Consultants only)
Clements-Stella Marketing
Ph: (631) 758-5316 (NY)
Ph: (201) 767-5710 (NJ)
tmc53@optonline.net (NY)
csm91@optonline.net (NJ)

Upstate New York
Jim Law & Associates
Ph: (585) 247-8130
jim@gojimlaw.com

New England Region
Pardee, Freeman Inc.
Ph: (978) 281-2700
hpardee@pardeefreeman.com
ofreeman@pardeefreeman.com

New York, New Jersey
(Beverage Equipment only)
Repco of NY/NJ
Ph: (973) 875-0049
repco1861@embarqmail.com

Mid-Atlantic Region
(Beverage Equipment only)
Walsh & Associates
Ph: (215) 591-3601
strmline76@verizon.net

Sales Representatives

Domestic Beverage Equipment Sales Team (continued)

Southeast Territory

Rich Tosi, VP Domestic Sales
Ph: (407) 474-7060 Email: rtosi@gmcw.com

Alabama, Georgia, Mississippi, Tennessee
Cutting Edge Marketing
Ph: (770) 649-9337
hgibson@cuttingedgereps.com

Texas, Louisiana, Oklahoma
Loftus & Associates
Ph: (281) 496-7660
tc@loftusassoc.com

North Carolina, South Carolina, Virginia
Pro-Reps
Ph: (252) 521-1827
rick@pro-reps.com

West/Central Territory

Frank Coronado, VP Domestic Sales
Ph: (480) 208-4425 Email: fcoronado@gmcw.com

N. California, N. Nevada
Dave Williams
Ph: (209) 602-0117
dwilliams@gmcw.com

Oregon, Washington, Alaska
Dodson-Conklin Group
Ph: (503) 502-1873
jaydodson@comcast.net
terryconklin@comcast.net

S. California
Fredco Manufacturers' Rep.
Ph: (949) 788-7788
office@fredcoreps.com

Colorado, Montana, New Mexico, Utah, Idaho, Arizona
Ignite Foodservice Solutions
Ph: (303) 433-0124
mail@ignitefoodservice.com

International Sales Representatives next page ⇨

Sales Representatives

Beverage Equipment Sales Team

Customer Service
place an order • check product availability and price• obtain freight and tracking information • request literature • inquire about parts
Phone: 502.425.4776 or Toll Free: 1-800-695-4500 (US & Canada) Email: csmailbox@gmcw.com

Technical Service
warranty information • equipment troubleshooting • schedule service calls • RA inquiries • part number inquiries
Phone: 502.425.4776 or Toll Free: 1-800-695-4500 (US & Canada) Email: tsmailbox@gmcw.com

Inside Sales Support
quotes • bids • special order inquiries
Scott Laird - Phone: 502.425.4776 ext. 2137 or Toll Free: 1-800-695-4500 ext. 2137 (US & Canada) Email: slaird@gmcw.com

Field Service Programs
technical service programs • field training
Terry Haywood - Phone: 502.425.4776 ext. 2167 or Toll Free: 1-800-695-4500 ext. 2167 (US & Canada) Email: thaywood@gmcw.com

International Beverage Equipment Sales Team

Mexico, Latin America
Grindmaster Products only
José Miranda
Ph: +1-305-443-4345
jmiranda@gmcw.com

Canada
Specialty Beverage Solutions
Ph: (888) 805-5528
sales@sbsolutions.ca

Europe, Africa, Middle East
Grindmaster Products only
Bo Fredriksson
Ph: +46 70 445 13 16
fmab.gcs@telia.com

Outside US (except Canada)
Cecilware Products only
HD Sheldon
Ph: +1-212-924-6920
rmetros@hdsheldon.com

Asia-Pacific
Grindmaster Products only
Mongkolchai Limpikanjanakowit
Ph: +66 (0) 8 1650 6005
mlimpika@gmcw.com

Discontinued Products

AL-LEN™ Ground Coffee Dispenser

Discontinued Option
Optional: *Available with built-in agitator - Eliminates bridging when using fine ground coffee, add "AG" suffix to model number and add $26 to list price.

Airpot Coffee Brewers

Discontinued Model	Description	Recommended Substitution	Description
APT18P (068405)	Analog, pour-over airpot brewer.	**BA-P** (73100)	Analog, pour-over airpot brewer (width = 8.5 in/22 cm)
APT18* (068400)	Analog, airpot brewer.	**AT-AP** (73400)	Analog, airpot brewer (width = 8.5 in/22 cm)
APT18-IT* (068410)	Digital, airpot brewer. (width = 8.25 in/21 cm)	**B-SAP** (AB-SAP)	Digital, single airpot brewer (width = 8.25 in/21 cm)
APT100WT (068585)	Analog, twin airpot brewer with water tap.	**B-DAP** (AB-DAP)	Digital, twin airpot brewer (width = 16.25 in/41 cm)

Coffee Station & Brew Time Series Pour-over Coffee Brewers

Discontinued Model	Description	Recommended Substitution	Description
Coffee Station Series Pour-over Coffee Brewers			
CS2 (067100)	Brews into decanter. 2 warmers. (width = 16 in/41 cm)	**BL-2P** (73200)	Pour-over coffee brewer with 2 warmers; one on top, one on bottom. Brews into decanter. (width = 8.5 in/22 cm)
CS3 (067300)	Brews into decanter. 3 warmers. (width = 16 in/41 cm)	**BL-3PW** (73300)	Pour-over coffee brewer with 3 warmers. Brews into decanter. (width = 15.5 in/39 cm)
Brew Time Series Pour-over Coffee Brewers			
BT2 (066600)	Brews into decanter. 2 warmers. (width = 17.5 in/44 cm)	**BL-2P** (73200)	Pour-over coffee brewer with 2 warmers; one on top, one on bottom. Brews into decanter. (width = 8.5 in/22 cm)
BT3 (066650)	Brews into decanter. 3 warmers. (width = 17.5 in/44 cm)	**BL-3PW** (73300)	Pour-over coffee brewer with 3 warmers. Brews into decanter. (width = 15.5 in/39 cm)

Century 2000 Pour-over Coffee Brewers

Discontinued Model	Description	Recommended Substitution	Description
C2002P (078250)	Brews into decanter. 1 warmer on top, 1 warmer on bottom. (width = 8 in/20 cm)	**BL-2P** (73200)	Brews into decanter. 1 warmer on top, 1 warmer on bottom. (width = 8.5in/22cm)
C2003P (078350)	Brews into decanter. 2 warmers on top, 1 warmer on bottom. (width = 8 in/20 cm)	**BL-2P** (73200)	Brews into decanter. 1 warmer on top, 1 warmer on bottom. (width = 8.5in/22cm)
C2003PR (078365)	Brews into decanter. 1 warmer on right, 2 warmers on bottom. (width = 16 in/41 cm)	**BL-3PW** (73300)	Brews into decanter. 1 warmer on bottom, 2 warmers on right. (width = 15.5in/39 cm)
C2003PL (078360)	Brews into decanter. 1 warmer on left, 2 warmers on bottom. (width = 16 in/41 cm)	**BL-3PW** (73300)	Brews into decanter. 1 warmer on bottom, 2 warmers on right. (width = 15.5in/39 cm)

Discontinued Products

Coffee Station Series Automatic Coffee Brewers

Discontinued Model	Description	Recommended Substitution	Description
CS2A (067200)	Automatic, 2 warmers on bottom (width = 16 in/41 cm)	**AT-2W** (73420)	Automatic, 2 warmers (1 on bottom, 1 on top) (width = 8.5in/22cm)
CS3A (067400)	Automatic, 3 warmers. (width = 16 in/41 cm)	**AT-3WR** (73430) or **AT-3W** (73480)	Automatic, 3 warmers (1 on bottom, 2 on right) (width = 15.5in/39cm) Automatic, 3 warmers (1 on bottom, 2 on top) (width = 8.5in/22cm)
CS2AWT (067500)	Automatic, 2 warmers, hot water tap. (width = 16 in/41 cm)	**AT-2W** (73420)	Automatic, 2 warmers (1 on bottom, 1 on top) (width = 8.5in/22cm)
CS3AWT (067600)	Automatic, 3 warmers, hot water tap. (width = 16 in/41 cm)	**AT-3WR** (73430) or **AT-3W** (73480)	Automatic, 3 warmers (1 on bottom, 2 on right) (width = 15.5in/39cm) Automatic, 3 warmers (1 on bottom, 2 on top) (width = 8.5in/22cm)

Century 2000 Automatic Coffee Brewers

Discontinued Model	Description	Recommended Substitution	Description
C2002 (078200)	Warmers: 1 bottom, 1 top, with pour-over backup system. (width = 8 in/20 cm)	**AT-2W** (73420)	Automatic, 2 warmers (1 on bottom, 1 on top) (width = 8.5in/22cm)
C2002G (Gravity) (078201)	Warmers: 1 bottom, 1 top (width = 8 in/20 cm)	**AT-2W** (73420)	Automatic, 2 warmers (1 on bottom, 1 on top) (width = 8.5in/22cm)
C2003 (078300)	Warmers: 1 bottom, 2 top, with pour-over backup system. (width = 8 in/20 cm)	**AT-3W** (73480)	Automatic, 3 warmers (1 on bottom, 2 on top) (width = 8.5in/22cm)
C2003G (Gravity) (078301)	Warmers: 1 bottom, 2 top (width = 8 in/20 cm)	**AT-3W** (73480)	Automatic, 3 warmers (1 on bottom, 2 on top) (width = 8.5in/22cm)
C2003R (078375)	Warmers: 2 bottom, 1 right, with pour-over backup system. (width = 16 in/41 cm)	**AT-3WR** (73430)	Automatic, 3 warmers (1 on bottom, 2 on right) (width = 15.5in/39 cm)
C2003RG (Gravity) (078377)	Warmers: 2 bottom, 1 right (width = 16 in/41 cm)	**AT-3WR** (73430)	Automatic, 3 warmers (1 on bottom, 2 on right) (width = 15.5in/39 cm)
C2003L* (078370)	Warmers: 2 bottom, 1 left, with pour-over backup system. (width = 16 in/41 cm)	**AT-3WR** (73430)	Automatic, 3 warmers (1 on bottom, 2 on right) (width = 15.5in/39 cm)
C2003LG (Gravity) (078371)	Warmers: 2 bottom, 1 left (width = 16 in/41 cm)	**AT-3WR** (73430)	Automatic, 3 warmers (1 on bottom, 2 on right) (width = 15.5in/39 cm)

Coffee Warmers

Discontinued Model	Description	Recommended Substitution	Description
Step-Up Warmers			
SW2CR (Right) (051500)	2 warmers (width = 8 in/20 cm)	n/a	n/a
SW2CL (Left) (051200)	2 warmers (width = 8 in/20 cm)	n/a	n/a
SW3 (051900)	3 warmers (width = 8 in/20 cm)	**BW-3T** (ABW-3T)	3 warmers (width = 7.5in/19cm)
SW3T (051905)	3 warmers	**BW-3T** (ABW-3T)	3 warmers (width = 7.5in/19cm)
Side-By-Side Warmers			
MW2 (053130)	2 warmers (width = 14 in/36 cm)	**BW-2** (ABW-2)	2 warmers (width = 14in/36cm)
MR2 (054300)	2 ranges (width = 14 in/36 cm)	n/a	n/a
MWR2 (050130)	2 warmers, 1 combination* (width = 14 in/36 cm)	n/a	n/a

Discontinued Products

Digital Satellite Coffee Brew Centers

Discontinued Model	Description	Recommended Substitution	Description
BC2E-IT Twin (069187L)	Brew capacity: 36 cups/brew cycle, 400 cups/hour (width = 18in/46cm)	**PB-430** (APB-430)	Twin, digitally controlled brewer brews into (2) radiant heat, air insulated 1.5 gallon CS-LL Shuttles® (included) Brew capacity: 500 cups/hour (width = 18in/46cm)
BC302E-IT Twin (069196L)	Brew capacity: 12/24/36 cups/brew cycle, 400 cups/hour (width = 18in/46cm)	**PB-430** (APB-430)	Twin, digitally controlled brewer brews into (2) radiant heat, air insulated 1.5 gallon CS-LL Shuttles® (included) Brew capacity: 500 cups/hour (width = 18in/46cm)
BC301E-IT Single (069194)	Brew capacity: 12/24/36 cups/brew cycle, 240 cups/hour (width = 9in/23cm)	**PB-330** (APB-330)	Single, digitally controlled brewer brew into (1) radiant heat, air insulated, 1.5 gallon CS-LL Shuttle® (included) Brew capacity: 460 cups/hour (width = 9in/23cm)

Twin 3 Gallon Urns - Gas Powered

Discontinued Model	Description	Recommended Substitution	Description
FE100G* (102500/102600)	Gas powered, adjustable by-pass, automatic agitator, solid state timer	n/a	n/a

MPO Pour-Over Coffee Urns - Electric and Gas Powered

Discontinued Model	Description	Recommended Substitution	Description
MPO3 (131400)	Single, 3 gallon (11.4L)	n/a	n/a
MPO6 (133400)	Single, 6 gallon (22.7L)	n/a	n/a
MPO303 (141400)	Twin, 3 gallon (11.4L)	n/a	n/a
MPO606 (143400)	Twin, 6 gallon (22.7L)	n/a	n/a

ME & CME (Chinese label) Water Boilers - Gas Powered

Discontinued Model	Description	Recommended Substitution	Description
ME10GNE (121605) **CME10GNE** (121820)	Gas with electric, 10-gallon (37.8L)	n/a	n/a
ME15GNE (121655) **CME15GNE** (121870)	Gas with electric, 15-gallon (56.8L)	n/a	n/a
ME10G (121600) **CME10G** (121800)	Gas, 10-gallon (37.8L)	n/a	n/a
ME15G (121650) **CME15G** (121850)	Gas, 15-gallon (56.8L)	n/a	n/a

"TB" Series Iced Tea Brewers & Dispensers

Discontinued Model	Description	Recommended Substitution	Description
SU5P Dispenser & Base	5 gal. (19L) tea dispenser with base	**B1/5**	5 gal. (19L) tea dispenser with base

Address:
4003 Collins Lane, Louisville, KY 40245 USA

Phone:
+1.502.425.4776
Toll Free: 800.695.4500 (US & Canada only)

Fax:
+1.502.425.4664

info@gmcw.com

www.gmcw.com

© Grindmaster-Cecilware Corporation, 2010
PRINTED IN USA

0112 Form # PR-025-06